# CATALOGUE 2024

BARBECUES PATIO HEATERS CAMPING ARTICLES ALUMINIUM BOXES



#### BARBECUES GAS



UNIQ<sup>®</sup> PRO 3 I CRUSTER<sup>®</sup> P. 14



0 0000

6 6

UNIQ<sup>®</sup> PRO 3 IK CRUSTER<sup>®</sup> P. 14



P. 14



UNIQ® PRO 3 IKO KITCHEN CRUSTER® P. 14





P. 46



CHICAGO NEXT 3 P. 52

P. 52



KANSAS II PRO 3 SIK TURBO P. 20



KANSAS II PRO 4 SIK PROFI TURBO P. 20



MONROE PROX 3 S TURBO P. 26



MONROE BLACK PRO 3 K TURBO P. 26







BROOKLYN NEXT 3 P. 58

P. 64



MONROE PRO 3 SIK TURBO P. 26



MONROE PRO 3 SIK TURBO SHADOW P. 27



MONROE BLACK PRO 4 IK TURBO P. 26



MONROE PRO 4 SIK TURBO P. 26



SAN DIEGO 4 P. 64

**ELECTRIC** 



P. 70



MONROE PRO 4 SIK TURBO SHADOW P. 27



BOSTON BLACK 3 K TURBO P. 40



COLORADO 3 I TURBO P. 34



**BOSTON BLACK 4 IK TURBO** P. 40



COLORADO 4 I TURBO P. 34



BOSTON BLACK 6 KR TURBO P. 40



COLORADO 6 IK TURBO II P. 34



CUBIQ<sup>®</sup> PRO 3 R TURBO P. 46





PACO<sup>™</sup> ROTATE P. 76

eFLOW<sup>®</sup> PRO 2 TURBO SHADOW P. 80

P. 96



Enders



CHICAGO NEXT 3 R TURBO



CHICAGO NEXT 4 R TURBO P. 52



SAN DIEGO 2



SAN DIEGO 3 P. 64



**URBAN &** URBAN PRO TROLLEY P. 70



EXPLORER NEXT & EXPLORER NEXT PRO P. 148



eFLAVOUR® 2 TURBO P. 86





eCRAVE® 2 P. 92



AURORA<sup>®</sup> & AURORA<sup>®</sup> MIRROR

#### **GAS FIRE PITS**



NOVA® LED M/L P. 120

#### **GAS PATIO HEATERS**





FANCY P. 129

#### **ELECTRIC PATIO HEATERS**



VULANO P. 125



P. 135

COMMERCIAL

P. 137

POLO<sup>®</sup> BLACK 2.0 P. 133

MOOW

P. 143





ECOLINE PURE

P. 131

ORON P. 144





**BBQ-TECHNOLOGY** FROM P. 6



**BBQ ACCESSORIES FROM P. 100** 



**CAMPING ITEMS** 

FROM P. 152



OXEO BLACK / OXEO WHITE

**ALUMINIUM BOXES FROM P. 168** 



#### ELECTRIC BARBECUE

TURBO Zone

This electric grill doesn't just get BBQ fans all fired up, it also captures their imagination. The high-tech features are reflected in its modern design, meaning it can more than hold its own against its fiery siblings. Cast aluminium elements not only give the eFLOW<sup>®</sup> stability, but also deliver outstanding performance. It can be used in a variety of locations: it makes a good impression on large patios, but it is also at home on balconies in the city thanks to its foldable side tables and clever design. All you have to do now is choose between our stainless steel model and the model from the SHADOW series in matt graphite.



# **BBQ TECHNOLOGIES**

### FASTER, HOTTER, SIMPLY DELICIOUS.

#### THE ENDERS TURBO GAS BURNER

With the TURBO ZONE<sup>™</sup>, infrared heat and top professional quality are at your fingertips. With a maximum temperature of up to 400 °C on the grill, top-quality gas grills give the precise cooking results and barbecue flavours that your steak needs.



- Freely adjustable and super-fast from the lowest to the highest temperature
- Simply turn up the red dial and the TURBO ZONE<sup>™</sup> immediately fires up to the maximum
- Clearly recognisable by the radiant red of the stainless steel mesh on the flame cover
- Top-quality searing at maximum temperature creates delicious grilled meat
- The meat stays much juicier and tastier





#### **300 °C** In the cooking Chamber

400 °C on the grill



#### **TURBO CONTROL**

6 BBQ TECHNOLOGIES

Snalor

### PLUG & GRILL Turbo Zone

#### THE HOTEST ZONE ON OUR ELECTRIC BARBECUES



TURBO ZONE<sup>™</sup> comes on at the touch of a button switch on and turn up to full power



This activates a second heating element on the right

Runs in parallel to the other heating element for that extra touch of power

Hot searing creates delicious barbecue flavour and the meat stays much juicier



### TEMPERATURE CONTROL **HEAT RANGE** BRENNERSYSTEM

While years of barbecue experience may have been the secret to a passable barbecue result in the past, now Enders HEAT RANGE™ technology with its professional heat control and distribution features guarantee your barbecue will always be an all-round success. The optimal coordination of all grill components - from the stainless steel burner, through the flame cover, to the grill grate - guarantees the necessary temperature control over the entire temperature range, from low cooking (approx. 80 °C) at a constant temperature to the maximum heat of 400 °C on the grill grate for searing, thereby ensuring the right finish for the perfect steak.

# 400 °C

**Barbecue with precision** temperature control ranging from 80 °C up to 400 °C.

- Offers constant temperatures from 80 °C up to 300 °C in the cooking chamber, while temperatures of up to 400 °C are reached directly on the grate
- The heating time up to the maximum grill temperature is shortened significantly
- Even heat distribution over the entire grill area up to the front zone
- Thanks to the new flame covers, flare-ups are minimised The UNIQ<sup>®</sup> PRO, KANSAS II PRO, MONROE PRO, COLORADO, BOSTON BLACK and CUBIQ® PRO series are equipped with HEAT RANGE





The patent-pending, innovative solution from Enders for uncomplicated and quick cleaning of the grill - a few simple steps is all it takes:

- The complete cooking chamber and the fat collection drawers have smooth surfaces with no corners or edges and can be removed without any tools
- Removable parts are made of stainless steel and are suitable for the dishwasher or are easy to clean by hand
- The irritating work that comes with trying to clean a grill in all its hard-to-reach corners is now a thing of the past
- The UNIQ<sup>®</sup> PRO, KANSAS II PRO, MONROE PRO, eFLOW<sup>®</sup> PRO, eFLAVOUR<sup>®</sup> and eCRAVE<sup>®</sup> series are equipped with SIMPLE CLEAN™

8 BBQ TECHNOLOGIES



# CRUSTER





The height and tilt of the CRUSTER® can be freely adjusted by means of two T-buttons.

The CRUSTER<sup>®</sup>. Conceived, designed and built to turn the concept of barbecue cooking on its head. A world first that will now sit comfortably at the very top of the food preparation chain and leave everything else in its wake. It's raining fire. And the principle behind this natural spectacle? Anything but half-baked. The CRUSTER® uses the proven technology of the back burner and reaches peak temperatures of up to 800 °C through infrared radiant heat. What makes it unique, however, is its versatility. Disguised as a back burner, the CRUSTER® can be converted into a top heat grill within seconds. It can be freely adjusted in height and tilt, thus offering unlimited possibilities when it comes to preparing various dishes. Whether it's pizza, thicker pieces of meat, casseroles or crème brûlée - the CRUSTER® turns the art of barbecue on its head.

#### VERTICAL

0

CRUSTERA

The ceramic burner in vertical position is perfect for rotisserie cooking: CRUSTER<sup>®</sup> always produces an incredibly good crust.

Baking is also a walk in the park for the CRUSTER<sup>®</sup>. In the tilted position, whether it's gyros, doner kebabs, it acts as the perfect source of top grilled chicken or a crispy duck - the heat. If you combine the combustion caramelising. The extremely hot power of the CRUSTER<sup>®</sup> with heat from underneath and a pizza stone, it crust can be produced in a very short is possible to bake pizzas in less than space of time without drying out the two minutes, even with the cooking food. hood open.



#### TILTED

#### HORIZONTAL





This position is perfect for preparing crispy steaks, pork belly and for general gratinating, roasting and temperatures mean that an excellent

### ONE NAME, UMPTEEN FEATURES, EXTREME INSTEAD OF WELL-BEHAVED.

Uniqueness in series production: the brand new UNIQ® PRO line from Enders. Four models that embody the predicate "top class" like no other BBQ. And it's the CRUSTER® that is responsible for this. The grill feature for extreme variability that only the UNIQ PRO® series can call its own. Also on board: the Dual side cooker. A sturdy cooking grate made of robust cast iron, which enables preparation in both low and high temperature ranges and, in combination with the DELICATER™ OVEN, can also be used to finish off several pieces of meat while leaving the oversized grill area – which measures just under 3,400 square centimetres – free to use. And that's just the tip of this sizzling iceberg made of sturdy cast aluminium parts: in addition to the 800 °C TURBO ZONE™, HEAT RANGE™, SWITCH GRID™ and the dishwasher-optimised SIMPLE CLEAN™, a special slider grill grate is also included to conveniently slide food under the CRUSTER®. To ensure that nothing wobbles, tilts or sways, the UNIQ® PRO series has levelling feet in the base cabinet to compensate for unevenness in the floor without any compromises. The UNIQ® PRO line not only redefines the word uniqueness in an unparalleled design that places the greatest emphasis on the smallest components, it also delivers this excellence in series production



0000

mon







#### **3 I CRUSTER®**

- CRUSTER®
- · 800 °C TURBO ZONE™
- 3 stainless steel burners
- SWITCH GRID<sup>™</sup>
- ₩ 147 x D 69.5 x H 121 cm W 68 x D 49.5 cm

W 147 x D 69.5 x H 121 cm

W 68 x D 49.5 cm

( 24.9 kW / 30 mbar

96 kg

ART. NO. 860733

- $(\diamond)$ 19.7 kW / 30 mbar
- KG 64 kg



FIND HERE HOSE AND

EGULATOR KITS PAGE 161

#### **3 IK CRUSTER®**

- · CRUSTER®
- · 800 °C TURBO ZONE™
- · 3 stainless steel burners Dual side cooker
- SWITCH GRID<sup>™</sup>
- · Slider grill grate
- 雷 W 147 x D 69.5 x H 121 cm W 68 x D 49.5 cm

ART. NO. 860933

- $(\mathbf{b})$ 24.9 kW / 30 mbar
- KG 72 kg

#### **3 IK KITCHEN CRUSTER®** ART. NO. 860833

KG

- **CRUSTER**<sup>®</sup>
- · 800 °C TURBO ZONE™
- 3 stainless steel burners
- Dual side cooker
- SWITCH GRID™
- Slider grill grate

#### **3 IKO KITCHEN CRUSTER®** ART. NO. 860633

- **CRUSTER®**
- 800 °C TURBO ZONE™
- 3 stainless steel burners
- Dual side cooker
- SWITCH GRID™
- Slider grill grate
- DELICATER<sup>™</sup> oven

#### 雷 W 147 x D 69.5 x H 121 cm W 68 x D 49.5 cm

- $(\mathbf{b})$ 24.9 kW / 30 mbar
- KG 106 kg

#### UNIQ® PRO 3 IKO KITCHEN CRUSTER® **TOP FEATURES**







CRUSTER (6.7 KW): from back burner to top heat: continuously adjustable in height and tilt, the ceramic burner delivers infra-



red heat of 800 °C on the barbecue

SIMPL CLEAN



SWITCH GRID: solid, enamelled cast iron grate with versatile grilling options



SIMPLE CLEAN: easy cleaning as individual stainless steel parts of the cooking

chamber can be removed without tools

DELICATER OVEN: offers constant temperatures from 80 °C up to 180 °C in the oven, ideal for gentle, low-temperature cooking of several pieces of meat



adjusted inside the base cabinet to compensate for unevenness on the floor surface.

CE







Double-walled, enamelled barbecue hood with integrated thermometer

> High-quality cast aluminium side sections on the barbecue hood and cooking chamber

3 stainless steel burners for powerful direct and indirect grilling/baking

red mesh: reaches extra-high temperatures at turbo speed for hot searing.



HEAT RANGE: constant temperatures for low and high temperature cooking





DUAL SIDE COOKER (0.66-5.2 KW): for preparing side dishes; can also be used as a storage surface when closed



SLIDER GRATE: moving the food in and out under the CRUSTER® is child's play thanks to the stainless steel rails with support tray and grate

#### UNIQ® PRO PRODUCT OVERVIEW







UNIQ <sup>®</sup> PRO	3 I CRUSTER®	3 IK CRUSTER®	3 IK KITCHEN CRUSTER®	3 IKO KITCHEN CRUSTER®
Article number	860733	860933	860833	860633
Stock item	-	-	•	•
Total output kW	19.7	24.9	24.9	24.9
Stainless steel burners x kW	2 x 4.2 / 1 x 4.6			
Dual side cooker kW	-	0.66 - 5.2	0.66 - 5.2	0.66 - 5.2
CRUSTER®	•	•	•	•
800 °C TURBO ZONE™	•	•	•	•
HEAT RANGE™	•	•	•	•
SIMPLE CLEAN™	•	•	•	•
Slider grill grate	-	•	•	•
SWITCH GRID™	•	•	•	•
Delicater™ oven	-	-	-	•
Double-walled lid	Enamelled steel / cast aluminium			
Thermometer	•	•	•	•
Cooking chamber	Stainless steel / cast aluminium	Stainless steel / cast aluminium	Stainless steel / cast aluminium	Stainless steel / cas aluminium
Ignition	Piezo	Piezo	Piezo	Piezo
Grill area cm / cm²	68 x 49.5 cm / 3,366	68 x 49.5 cm / 3,366	68 x 49.5 cm / 3,366	68 x 49.5 cm / 3,36
Grill grate	Enamelled cast iron / four-part	Enamelled cast iron / four-part	Enamelled cast iron / four-part	Enamelled cast iron four-part
Warming grate cm / cm² / material	2 x (11 x 22) / 484 / Stainless steel	2 x (11 x 22) / 484 / Stainless steel	2 x (11 x 22) / 484 / Stainless steel	2 x (11 x 22) / 484 , Stainless steel
Flame covers	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Removable fat drawer with fat collection tray	•	•	•	•
Side shelves / foldable	2/0	2/0	2/0	2/0
Double-walled doors	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated stee
Storable gas bottle (max.)	11 kg	11 kg	11 kg	11 kg
Hose & gas pressure regulator	-	-	-	-
Working height cm	93	93	93	93
Assembled dimensions cm	W 147 x D 69.5 x H 121	W 147 x D 69.5 x H 121	W 147 x D 69.5 x H 121	W 147 x D 69.5 x H 12



#### UNIQ® PRO ACCESSORIES



SWITCH GRID DUTCH OVEN ART. NO. 7795



SWITCH GRID WOK ART. NO. 7797



DELICATER™OVEN UNIQ PRO 3 IK CRUSTER + UNIQ PRO 3 IK KITCHEN CRUSTER ART. NO. 8603



PREMIUM WEATHER PROTECTION COVER UNIQ PRO 3 ART. NO. 5696



SWITCH GRID OTHER INSERTS ART. NO. 7793/7792/7790/7791



BARBECUE ROTISSERIE PRO UNIQ PRO 3 ART. NO. 7908



SLIDER GRATE UNIQ PRO 3 ART. NO. 8683

# KANSAS II PRO

#### **WELCOME TO THE CHAMPIONS LEAGUE!**

With the KANSAS II PRO series, you will triumph at every BBQ: the winner grills it all. The HEAT RANGE<sup>™</sup> stainless steel burner architecture ensures optimum heat distribution right to the edges. In the cooking chamber, it impresses with a temperature range from a constant 80 °C to a roaring hot 400 °C on the grill. The cast aluminium side panels on the barbecue hood ensure enormous stability and durability. And because the best is never good enough for champions, the KANSAS II PRO series comes up trumps with additional champion features: the SWITCH GRID<sup>™</sup> grate standard and the Enders TURBO ZONE<sup>™</sup> offer you the perfect scope for your culinary creations. And when the fireworks are over, you can clean your barbecue easily, quickly and simply with the practical SIMPLE CLEAN<sup>™</sup> system.




#### **KANSAS II PRO SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 161

#### **KANSAS II PRO 4 SIK PROFI TURBO TOP FEATURES**







HEAT RANGE: constant temperatures for low and high temperature cooking



......

SWITCH GRID: enamelled cast iron grate with multiple grilling options

#### ADJUSTABLE INFRARED BACK BURNER (3.5 KW): for juicy, crispy meat from the barbecue rotisserie

#### **3 SIK TURBO** 🗍 W 142 x D 64 x H 118 cm · 800 °C TURBO ZONE™ · 3 stainless steel burners Infrared back burner кс 55 kg Side cooker

DDDDD

- SWITCH GRID<sup>™</sup>
- W 60 x D 45 cm 18.6 kW / 30 mbar

ART. NO. 871333

- 6 Bab

#### **4 SIK PROFI TURBO**

- · 800 °C TURBO ZONE™
- · 4 stainless steel burners
- Infrared back burner
- Side cooker
- SWITCH GRID™
- Sink

- ART. NO. 871433
- 雷 W 153 x D 64 x H 118 cm
- W 70 x D 45 cm
- 6 22.3 kW / 30 mbar
- KG 80 kg





800 °C TURBO ZONE (4.2 KW) with infrared mesh: reaches extra-high temperatures at turbo speed for hot searing

Viewing window

chopping board

Sink and

operation



Double-walled lid made of stainless steel with integrated thermometer

> High-quality cast aluminium side sections on the barbecue hood

> > Integrated bottle opener made of stainless steel

4 stainless steel burners for powerful direct and indirect grilling/baking





SIMPLE CLEAN: easy cleaning as individual stainless steel parts of the cooking chamber can be removed without tools





SIDE COOKER (3.5 KW): for preparing side dishes, can also be used as a storage surface when folded down

#### KANSAS II PRO Product overview



		0 0 0 0	
KANSAS II PRO	3 SIK TURBO	4 SIK PROFI TURBO	
Article number	871333	871433	
Stock item	•	•	
Total output kW	18.6	22.3	
Stainless steel burners x kW	2 x 3.7 / 1 x 4.2	3 x 3.7 / 1 x 4.2	
Side cooker kW	3.5	3.5	
Infrared back burner kW	3.5	3.5	
800 °C TURBO ZONE™	•	•	
HEAT RANGE <sup>™</sup>	•	•	
SIMPLE CLEAN™	•	•	
SWITCH GRID™	•	•	
Double-walled lid	Stainless steel / cast aluminium	Stainless steel / cast aluminium	
Viewing window	•	•	
Thermometer	•	•	
Cooking chamber	Stainless steel	Stainless steel	
Ignition	Piezo	Piezo	
Grill area cm / cm²	60 x 45 / 2,700	70 x 45 / 3,150	
Grill grate	Enamelled cast iron / three-part	Enamelled cast iron / four-part	
Warming grate cm / cm² / material	57 x 13 / 741 / stainless steel	67 x 13 / 871 / stainless steel	
Flame covers	Stainless steel	Stainless steel	
2 removable fat collection drawers	Stainless steel	Stainless steel	
Integrated bottle opener	Stainless steel	Stainless steel	
Side shelves / foldable	2 / 0	2/0	
Sink	-	•	
Chopping board	-	•	
Storable gas bottle (max.)	11 kg	11 kg	
Double-walled doors	Stainless steel	Stainless steel	
Swivel castors / lockable	4 / 2	8 / 4	
Hose & gas pressure regulator	-	-	
Working height cm	89	89	
Assembled dimensions cm	W 142 x D 64 x H 118	W 153 x D 64 x H 118	



#### KANSAS II PRO Accessories







SWITCH GRID DUTCH OVEN ART. NO. 7795

PLANCHA L CAST-IRON PLATE KANSAS II PRO 4 ART. NO. 7889



CAST-IRON REVERSIBLE PLATE 1/3 KANSAS II PRO 3 ART. NO. 7880



BARBECUE ROTISSERIE PRO KANSAS II PRO 3 + PRO 4 ART. NO. 7908



SWITCH GRID OTHER INSERTS ART. NO. 7793/7792/7790/7791



PLANCHA H CAST-IRON PLATE ART. NO. 7799



STAINLESS STEEL GRILL PAN FOR SIDE COOKER KANSAS II PRO 3 + 4 ART. NO. 7885



SWITCH GRID CAST-IRON REVERSIBLE PLATE 1/2 KANSAS II PRO 4

PREMIUM WEATHER PROTECTION COVER KANSAS II PRO 3 + 4 ART. NO. 5696

ART. NO. 7789

# MONROE PRO

#### **OPEN FOR ALL BARBECUE ADVENTURES**

The BBQs from the MONROE PRO series are real all-rounders. Those who like to push the envelope when it comes to barbecuing are likely to really test the boundaries with all the power-packed features of this range. Everything about the gas barbecues has been thought out and optimised down to the smallest detail. Even the end caps for the barbecue hoods are made of solid cast aluminium and are thus perfectly stable and durable – not to mention the cooking chambers made of cast aluminium and indestructible stainless steel. With the TURBO ZONE<sup>™</sup> you can effortlessly master the supreme discipline of "grilling a steak to perfection", while the HEAT RANGE<sup>™</sup> stainless steel burner system allows you to set any temperature you want, from low and slow to fast and hot. What's more: the extensive range of accessories will meet all your needs. And thanks to SIMPLE CLEAN<sup>™</sup>, you can also wipe the barbecue down in no time at all. Another distinctive option: the SHADOW series with high-quality coating in a matt graphite finish. Their unique and striking appearance has already made its mark in the world of kitchens and is now set to excite the world of barbecues.



シージョンング

Inders

#### **MONROE PRO SERIES**











#### X 3 S TURBO

- 800 °C TURBO ZONE™
- · 3 stainless steel burners
- Stainless steel grate
- · 2 fold-down side shelves Viewing window

#### **BLACK 3 K TURBO**

- · 800 °C TURBO ZONE™
- · 3 stainless steel burners
- Side cooker
- SWITCH GRID<sup>™</sup>
- Enamelled lid

#### **3 SIK TURBO**

- · 800 °C TURBO ZONE™
- 3 stainless steel burners
- Infrared back burner
- · Side cooker
- · SWITCH GRID™
- Viewing window

#### **4 SIK TURBO**

- · 800 °C TURBO ZONE™
- 4 stainless steel burners
- Infrared back burner
- Side cooker
- SWITCH GRID<sup>™</sup>
- Viewing window

#### **BLACK 4 IK TURBO**

- 800 °C TURBO ZONE™
- 4 stainless steel burners
- Infrared back burner
- Side cooker
- SWITCH GRID<sup>™</sup>
- Enamelled lid

#### FIND HERE HOSE AND REGULATOR KITS PAGE 161

#### ART. NO. 837433

- 🗒 W 136 x D 57 x H 118.5 cm
- W 62 x D 43 cm
- ۲ 11.2 kW / 30 mbar
- KG 48 kg

Ħ

#### ART. NO. 837133

- W 143.5 x D 57 x H 118.5 cm
- W 62 x D 43 cm
- ۲ 14.1 kW / 30 mbar
- KG 47.5 kg

#### ART. NO. 837633

- 🗍 W 143.5 x D 58 x H 118.5 cm
  - W 62 x D 43 cm
- ۲ 17.6 kW / 30 mbar
- \_\_\_\_\_\_KG 50 kg

  - W 153.5 x D 58 x H 118.5 cm
- Ħ W 74 x D 43 cm
- ۲ 21.1 kW / 30 mbar
- KG 55 kg



- W 153.5 x D 58 x H 118.5 cm
  - W 74 x D 43 cm
  - ۲ 21.1 kW / 30 mbar
  - KG 54 kg

#### **MONROE PRO SERIES**



- **3 SIK TURBO SHADOW**
- · 800 °C TURBO ZONE
  - · 3 stainless steel bu
  - Infrared back burne
  - Side cooker
  - SWITCH GRID<sup>™</sup> with sear grate · Viewing window
  - · Enamelled lid



#### **4 SIK TURBO SHADOW**

- · 800 °C TURBO ZONE™
- 4 stainless steel burners
- Infrared back burner
  - Side cooker
- SWITCH GRID<sup>™</sup> with sear grate
- Viewing window
- · Enamelled lid



ART. NO. 837833

ART. NO. 837033

Enders



тм		
ners		

Ē	W 143.5 x D 58 x H 118.5 cm
	W 62 x D 43 cm
$(\mathbf{b})$	17.6 kW / 30 mbar

кс 50.5 kg

ART. NO. 838533

📆 W 153.5 x D 58 x H 118.5 cm **W** 74 x D 43 cm

- 🙆 21.1 kW / 30 mbar
- 🖧 55.5 kg

BARBECUES | GAS 27

#### MONROE PRO 4 SIK TURBO TOP FEATURES

Large integrated warming grate made of stainless steel

Control panel and side shelves made of stainless steel

11 kg gas bottle can be left in the base cabinet during operation Double-walled lid made of stainless steel with integrated thermometer

High-quality cast aluminium side panels on barbecue hood and cooking chamber

4 stainless steel burners for powerful direct and indirect grilling/baking

🕲 View AR





**MONROE PRO** 

SWITCH GRID WOK ART. NO. 7797



SWITCH GRID DUTCH OVEN ART. NO. 7795



PLANCHA L CAST-IRON PLATE MONROE PRO 3 ART. NO. 7889 NEW



CAST-IRON REVERSIBLE PLATE 1/3 MONROE PRO 3 ART. NO. 7882




PIZZA COVER TURBO INCLUDING PIZZA STONE MONROE PRO 3 + 4 WITH BACK BURNER ART. NO. 7881



STAINLESS STEEL GRILL PAN FOR SIDE COOKER MONROE PRO 3 + 4 ART. NO. 7712





More information starting on page 112



**800 °C TURBO ZONE (4.2 KW)** with infrared mesh: reaches extra-high temperatures super fast to ensure top searing results



**HEAT RANGE:** constant temperatures for low and high temperature cooking



SIMPLE CLEAN: easy cleaning as individual stainless steel parts of the cooking chamber can be removed without tools



**SWITCH GRID:** enamelled cast iron grate with multiple grilling options



ADJUSTABLE INFRARED BACK BURNER (3.5 KW): for juicy, crispy meat from the barbecue rotisserie



SIDE COOKER (2.9 KW): for preparing side dishes, can also be used as a storage surface when closed

Enders



SWITCH GRID OTHER INSERTS ART. NO. 7793/7792/7790/7791





PLANCHA H CAST-IRON PLATE ART. NO. 7799







SWITCH GRID CAST-IRON REVERSIBLE PLATE 1/2 MONROE PRO 4 ART. NO. 7893



SWITCH GRID MONROE PRO 3 ART. NO. 7784



BARBECUE ROTISSERIE PRO-MONROE PRO 3 + 4 ART. NO. 7908



PREMIUM WEATHER PROTECTION COVER MONROE PROX 3 / MONROE PRO 3 + 4 ART. NO. 5693 / 5696

#### MONROE PRO PRODUCT OVERVIEW

		-	

MONROE PRO	X 3 S TURBO	BLACK 3 K TURBO	3 SIK TURBO
Article number	837433	837133	837633
Stock item	•	•	•
Total output kW	11.2	14.1	17.6
Stainless steel burners x kW	2 x 3.5 / 1 x 4.2	2 x 3.5 / 1 x 4.2	2 x 3.5 / 1 x 4.2
Side cooker kW	-	2.9	2.9
Infrared back burner kW	-	-	3.5
800 °C TURBO ZONE™	•	•	•
HEAT RANGE™	•	•	•
SIMPLE CLEAN™	•	•	•
SWITCH GRID™	-	•	•
Double-walled lid	Stainless steel / cast aluminium	Enamelled steel / cast aluminium	Stainless steel / cast aluminium
Viewing window	•	-	•
Thermometer	•	•	•
Cooking chamber	Stainless steel / cast aluminium	Stainless steel / cast aluminium	Stainless steel / cast aluminium
Ignition	Piezo	Piezo	Piezo
Grill area cm / cm²	62 x 43 / 2,666	62 x 43 / 2,666	62 x 43 / 2,666
Grill grate	Stainless steel / three sections	Enamelled cast iron / three-part	Enamelled cast iron / three-part
Integrated warming grate cm / cm² / material	58 x 16.5 / 957 / Stainless steel	58 x 16.5 / 957 / Stainless steel	58 x 16.5 / 957 / Stainless steel
Flame covers	Stainless steel	Stainless steel	Stainless steel
Removable fat drawer with fat collection tray	•	•	•
Side shelves / foldable	2/2	2/0	2 / 0
Storable gas bottle (max.)	11 kg	11 kg	11 kg
Double-walled doors	Stainless steel	powder-coated Steel	Stainless steel
Swivel castors / lockable	4 / 4	4 / 4	4 / 4
Hose & gas pressure regulator	-	-	-
Working height cm	90	90	90
Dimensions cm (W x D x H)	136 x 57 x 118.5	143.5 x 57 x 118.5	143.5 x 58 x 118.5
Dimensions with side shelves folded down cm (W x D x H)	86 x 57 x 118.5	-	-



MONROE PRO	3 SIK TURBO SHADOW	BLACK 4 IK TURBO	4 SIK TURBO	4 SIK TURBO SHADOW
Article number	838133	837033	837833	838533
Stock item	•	•	•	•
Total output kW	17.6	21.1	21.1	21.1
Stainless steel burners x kW	2 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2
Side cooker kW	2.9	2.9	2.9	2.9
Infrared back burner kW	3.5	3.5	3.5	3.5
800 °C TURBO ZONE™	•	•	•	•
HEAT RANGE <sup>™</sup>	•	•	•	•
SIMPLE CLEAN <sup>™</sup>	•	•	•	•
SWITCH GRID™	•	•	•	•
Double-walled lid	Enamelled steel / cast aluminium	Enamelled steel / cast aluminium	Stainless steel / cast aluminium	Enamelled steel / cast aluminium
Viewing window	•	-	•	•
Thermometer	•	•	•	•
Cooking chamber	Enamelled steel / cast aluminium	Stainless steel / cast aluminium	Stainless steel / cast aluminium	Enamelled steel / cast aluminium
Ignition	Piezo	Piezo	Piezo	Piezo
Grill area cm / cm <sup>2</sup>	62 x 43 / 2,666	74 x 43 / 3,182	74 x 43 / 3,182	74 x 43 / 3,182
Grill grate	Enamelled cast iron / three-part	Enamelled cast iron / four-part	Enamelled cast iron / four-part	Enamelled cast iron / four-part
Integrated warming grate cm / cm² / material	58 x 16.5 / 957 / Stainless steel	67.5 x 16.5 / 1,114 / Stainless steel	67.5 x 16.5 / 1,114 / Stainless steel	67.5 x 16.5 / 1,114 / Stainless steel
Flame covers	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Removable fat drawer with fat collection tray	•	٠	•	•
Side shelves / foldable	2/0	2 / 0	2 / 0	2 / 0
Storable gas bottle (max.)	11 kg	11 kg	11 kg	11 kg
Double-walled doors	Powder-coated steel	Powder-coated steel	Stainless steel	Powder-coated steel
Swivel castors / lockable	4 / 4	4 / 4	4 / 4	4 / 4
Hose & gas pressure regulator	-	-	-	-
Working height cm	90	90	90	90
Dimensions cm (W x D x H)	143.5 x 58 x 118.5	153.5 x 58 x 118.5	153.5 x 58 x 118.5	153.5 x 58 x 118.5
Dimensions with side shelves folded down cm (W x D x H)	-	_	-	-

Enders


#### SOME LIKE IT HOT.

If you like things a bit hotter and more sophisticated, you'll love the COLORADO! The high-quality series has an infrared BACK BURNER ready to go, which provides that extra heat at the back – perfect for preparing rotisseries, shish kebabs and pizzas. Basically, however, the COLORADO runs at a blisteringly hot operating temperature even without back-up – 800 °C in the TURBO ZONE<sup>™</sup> will leave you speechless. And while we're on the subject of features: HEAT RANGE<sup>™</sup>, SWITCH GRID<sup>™</sup> and an integrated stainless steel warming grate also await you. As the generous features need to be appropriately protected, the side panels of the cooking chamber are made of high-quality, durable cast aluminium. On top of that – or more accurately, alongside it – the COLORADO 6 also boasts one sturdy, fold-down side shelf, while the COLORADO 3 and 4 even have two. And even with the 11 kg gas bottle stowed away, you'll still find enough space in the base cabinet.

0 0 0

Ó

0



Enders

#### **COLORADO SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 161

#### **COLORADO 6 IK TURBO II TOP FEATURES**





DOUBLE 800 °C TURBO ZONE

fast for hot searing

barbecue rotisserie

(4.2 KW each) with infrared mesh: reaches extra-high temperatures super



HEAT RANGE: constant temperatures for low and high temperature cooking



ADJUSTABLE INFRARED BACK BURNER SIDE COOKER (3.15 KW): for preparing (3.5 KW): for juicy, crispy meat from the surface when closed



- SWITCH GRID<sup>™</sup>

ART. NO. 8521633

W 145 x D 58 x H 118 cm

W 74 x D 43 cm

18.2 kW / 30 mbar

- KG 45 kg
- 2 fold-down side shelves



雷

۲

KG


50 kg

#### **4 I TURBO**

- 800 °C TURBO ZONE™
- 4 stainless steel burners
- Infrared back burner
- SWITCH GRID<sup>™</sup>
- · 2 fold-down side shelves

#### 6 IK TURBO II

- Double 800 °C TURBO ZONE<sup>™</sup>
- 6 stainless steel burners
- Infrared back burner
- Side cooker
- SWITCH GRID<sup>™</sup>
- 1 fold-down side shelf



CE

- 雷 W 165 x D 58 x H 118 cm W 94 x D 43 cm
- ۲ 27.05 kW / 30 mbar KG 62 kg

ø

8 8 80 80B

0 0











side dishes, can also be used as a storage



SWITCH GRID: enamelled cast iron grate with multiple grilling options




11 KG GAS BOTTLE can be left in the base cabinet during operation

#### COLORADO PRODUCT OVERVIEW

COLORADO	3 I TURBO	4 I TURBO	6 IK TURBO II
Article number	8520633	8521633	852333
Stock item	•	•	•
Total output kW	14.7	18.2	27.05
Stainless steel burners x kW	2 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2	4 x 3 / 2 x 4.2
Side cooker kW	-	-	3.15
Infrared back burner kW	3.5	3.5	3.5
800 °C TURBO ZONE™	•	•	•
HEAT RANGE <sup>™</sup>	•	•	•
SWITCH GRID™	•	•	•
Double-walled lid	Enamelled steel / powder-coated steel	Enamelled steel / powder-coated steel	Enamelled steel / powder-coated steel
Thermometer	•	•	•
Cooking chamber	Cast aluminium / enamelled steel	Cast aluminium / enamelled steel	Cast aluminium / enamelled steel
Ignition	Piezo	Piezo	Piezo
Grill area cm / cm²	62 x 43 / 2,666	74 x 43 / 3,182	94 x 43 / 4,042
Grill grate	Enamelled cast iron / three-part	Enamelled cast iron / four-part	Enamelled cast iron / four-part
Integrated warming grate cm / cm² / material	59.5 x 16 / 952 / Stainless steel	69.5 x 16 / 1,112 / Stainless steel	91.5 x 16 / 1,464 / Stainless steel
Flame covers	Enamelled steel / stainless steel	Enamelled steel / stainless steel	Enamelled steel / stainless steel
Removable fat drawer with fat collection tray	•	•	•
Side shelves / foldable	2/2	2/2	2 / 1
Double-walled doors	Powder-coated steel	Powder-coated steel	Powder-coated steel
Storable gas bottle (max.)	11 kg	11 kg	11 kg
Swivel castors / lockable	4 / 4	4 / 4	4 / 4
Hose & gas pressure regulator	-	-	-
Working height cm	90	90	90
Assembled dimensions cm	W 135 x D 58 x H 118	W 145 x D 58 x H 118	W 165 x D 58 x H 118
Dimensions with side shelves folded down cm	W 86 x D 58 x H 118	W 95 x D 58 x H 118	W 142 x D 58 x H 118

#### COLORADO ACCESSORIES





STAINLESS STEEL GRILL PANFOR SIDE COOKER COLORADO 6 ART. NO. 7712



PREMIUM WEATHER PROTECTION COVER COLORADO 3 / COLORADO 4 ART. NO. 5693 / 5696

Enders



SWITCH GRID OTHER INSERTS ART. NO. 7793/7792/7790/7791



SWITCH GRID DUTCH OVEN ART. NO. 7795



PLANCHA H CAST-IRON PLATE ART. NO. 7799





PLANCHA XL CAST-IRON PLATE COLORADO 4 + 6 ART. NO. 7884



SWITCH GRID CAST-IRON REVERSIBLE PLATE 1/2 | 1/3 COLORADO 4 / COLORADO 6 ART. NO. 7893







STAINLESS STEEL ROTISSERIE COLORADO 6 ART. NO. 7909

MODULAR TROLLEY COLORADO SERIES ART. NO. 88186

More information starting on page 112

PREMIUM WEATHER PROTECTION COVER COLORADO 6

ART. NO. 5697

# BOSTON BLAGK

#### IT'S A BBQ, NOT QUANTUM PHYSICS. Whether you're barbecuing for a few friends or serving up a huge


Whether you're barbecuing for a few friends or serving up a huge four-course meal – the BOSTON BLACK series always provides the winning formula: BOSTON BLACK = sheer barbecue pleasure. From a gas barbecue with two stainless steel burners to a battery of six stainless steel burners, we have everything you need to get any party started. And with top technologies like TURBO ZONE<sup>™</sup> and the HEAT RANGE<sup>™</sup> system and extensive accessories, it's sure to be a success.

Enders

BOSTON BLACK

0000





#### **BOSTON BLACK SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 161

### -0 0 0 0 .......

#### **3 K TURBO**

- · 800 °C TURBO ZONE™
- 3 stainless steel burners
- · Side cooker
- Stainless steel grate
- · 1 fold-down side shelf

ART. NO. 8863633

🗍 W 144 x D 61 x H 115 cm

21.85 kW / 30 mbar

W 74 x D 43 cm

47.5 kg

۲

KG



.

0 0 0 0 000



#### **4 IK TURBO**

- 800 °C TURBO ZONE"
- · 4 stainless steel burners
- Infrared back burner
- Side cooker
- · Stainless steel grate
- · 1 fold-down side shelf



- 2 x 800 °C TURBO ZONE™ .
- · 6 stainless steel burners
- Side cooker .
- SWITCH GRID™ .
  - made of solid stainless steel
- · Stainless steel smoker box
- · 1 fold-down side shelf

#### ART. NO. 886433

- 雷 W 166.5 x D 60 x H 115 cm W 94 x D 43 cm
- ۲ 23.55 kW / 30 mbar
- 60 kg

#### KG

#### **BOSTON BLACK 4 IK TURBO TOP FEATURES**






800 °C TURBO ZONE (4.2 kW) with infrared mesh: reaches extra high temperatures for turbo-fast searing



**INFRARED BACK BURNER (4 KW):** for juicy crispy meat on the rotisserie







4 stainless steel burners for powerful direct and indirect grilling

> Grill grate made of stainless steel

Removable fat tray for easy cleaning



HEAT RANGE: constant temperatures for cooking on a low or high flame





SIDE COOKER (3.15 KW): for preparing side dishes, can also be used as a storage surface when folded closed

#### **BOSTON BLACK PRODUCT OVERVIEW**

BOSTON BLACK	3 K TURBO	4 IK TURBO	6 KR TURBO
Articel number	8862633	8863633	886433
Stock goods	•	•	•
Total output in kW	14.35	21.85	23.55
Stainless steel burners x kW	2 x 3.5 / 1 x 4.2	3 x 3.5 / 1 x 4.2	4 x 3 / 2 x 4.2
Side cooker kW	3.15	3.15	3.15
Infrared back burner kW	-	4	-
800 °C TURBO ZONE™	•	•	•
HEAT RANGE <sup>™</sup>	•	•	•
SWITCH GRID™	-	-	made of solid stainless steel
Double-walled lid	en. steel / powd. steel	en. steel / powd. steel	
Thermometer	•	•	•
Combustion chamber	Enamelled steel	Enamelled steel	Enamelled steel
Ignition	Piezo	Piezo	Piezo
Grill surface cm / cm²	62 x 43 / 2,666	74 x 43 / 3,182	94 x 43 / 4,042
Grill grate	Stainless steel / three sections	Stainless steel / four sections	Stainless steel / three sections
Stainless steel smoker box	-	-	•
Warming grate (opens with the lid) cm / cm² / material	56 x 19.5 / 1,092 / Stainless steel	66 x 19.5 / 1,287 / Stainless steel	88 x 19.5 / 1,716 / Stainless steel
Flame tamers	Enamelled steel	Enamelled steel	Enamelled steel
Removable fat tray with fat collector	•	•	•
Side shelves / foldable	2 / 1	2 / 1	2/1
Storable gas bottle (max.)	5 kg	5 kg	11 kg
Double-walled doors	Powder-coated steel	Powder-coated steel	Powder-coated steel
Outdoor wheels / swivel castors / lockable	2/2/2	2/2/2	0 / 4 / 4
Hose and gas pressure regulator	-	_	-
Working height in cm	90	90	90
Dimensions in cm	W 134 x D 59 x H 115	W 144 x D 61 x H 115	W 166.5 x D 60 x H 11
Dimensions with side shelves folded down cm	W 109 x D 59 x H 115	W 119 x D 61 x H 115	W 142 x D 60 x H 115

#### **BOSTON BLACK ACCESSORIES**





Enders



SWITCH GRID **OTHER INSERTS** ART. NO. 7793/7792/7790/7791



CAST-IRON PLATE ART. NO. 7799

PLANCHA H





PLANCHA XL CAST-IRON PLATE BOSTON 4 + 6 ART. NO. 7884



SWITCH GRID CAST-IRON REVERSIBLE PLATE 1/2 | 1/3 BOSTON 4 / BOSTON 6 ART. NO. 7893







SWITCH GRID

BOSTON 4 ART. NO. 7785

PREMIUM WEATHER PROTECTION COVER BOSTON 3 / BOSTON 4 / BOSTON 6 ART. NO. 5694 / 5696 / 5697

# 

#### THE BEST THINGS COME IN SMALL PACKAGES.

The CUBIQ<sup>®</sup> PRO may not be a giant, but it still has the ability to impress with all its features: the compact design and cast aluminium parts, coupled with a whole range of helpful features, make it perfect for use on the balcony. With TURBO ZONE™, HEAT RANGE™ and SWITCH GRID™, it still has everything it needs on board to rival its counterparts in every way. Despite its dimensions, it also has enough space to really deliver that WOW effect: with a tilting compartment for your barbecue utensils and an extra area for your 11 kg gas bottle. And on top of that, there's a spacious grill area with additional shelves on either side - less really is more.



0

0



## CUBIQ® PRO 3 R TURBO TOP FEATURES







800 °C TURBO ZONE (4.2 KW) with infrared mesh: reaches extra-high temperatures super fast to ensure top searing results



FOLD-DOWN SIDE SHELVES: for space-saving storage of the barbecue.

PRACTICAL TILTING COMPARTMENT: for storage of your barbecue utensils in the base cabinet







Double-walled, Enamelled lid with integrated thermometer

High-quality cast aluminium side panels on barbecue hood and cooking chamber



HEAT RANGE: constant temperatures for low and high temperature cooking





SWITCH GRID: enamelled cast iron grate with multiple grilling options



11 KG GAS BOTTLE can remain in the base cabinet during operation

#### CUBIQ® PRO PRODUCT OVERVIEW



CUBIQ <sup>®</sup> PRO	3 R TURBO	3 KR TURBO	
Article number	842333	842433	
Stock item	-	-	
Total output kW	10.7	13.85	
Stainless steel burners x kW	2 x 3.25 / 1 x 4.2	2 x 3.25 / 1 x 4.2	
Side cooker kW	-	3.15	
800 °C TURBO ZONE™	•	•	
HEAT RANGE™	•	•	
SWITCH GRID™	•	•	
Barbecue hood	double-walled / enamelled steel / cast aluminium	double-walled / enamelled steel / cast aluminium	
Thermometer	•	•	
Cooking chamber	Cast aluminium / enamelled steel	Cast aluminium / enamelled steel	
Ignition	Piezo	Piezo	
Grill area cm / cm²	54.5 x 42 / 2,289	54.5 x 42 / 2,289	
Grill grate	enamelled cast iron / two-part	enamelled cast iron / two-part	
Integrated warming grate (opens with the lid) cm / cm² / material	50 x 16 / 800 / Stainless steel	50 x 16 / 800 / Stainless steel	
Flame covers	enamelled steel / stainless steel	enamelled steel / stainless steel	
Removable fat drawer with fat collection tray	•	•	
Side shelves / foldable	2/2	2 / 1	
Storable gas bottle (max.)	11 kg	11 kg	
Tilting compartment	•	•	
Swivel castors / lockable	4 / 4	4 / 4	
Hose & gas pressure regulator	-	-	
Working height cm	89	89	
Assembled dimensions cm	W 122 x D 58.5 x H 115	W 122 x D 58.5 x H 115	
Dimensions with side shelves fold- ed down cm	W 72.5 x D 58.5 x H 115	W 98 x D 58.5 x H 115	



#### CUBIQ® PRO ACCESSORIES



SWITCH GRID Wok

ART. NO. 7797



SWITCH GRID DUTCH OVEN ART. NO. 7795



STAINLESS STEEL BARBECUE ROTISSERIE CUBIQ PRO 3 ART. NO. 7905



PREMIUM WEATHER PROTECTION COVER CUBIQ PRO 3 KR ART. NO. 5692



**SWITCH GRID** OTHER INSERTS ART. NO. 7793/7792/7790/7791



PLANCHA H CAST-IRON PLATE ART. NO. 7799



PREMIUM WEATHER PROTECTION COVER CUBIQ PRO 3 R ART. NO. 5700

# CHICAGO NEXT

#### GRILLROUNDER

One for all. All in one. BBQs in the CHICAGO NEXT series are "grillrounders" – packed with features to keep you entertained. Both the three-burner and four-burner model have an enamelled cast-iron grate. Further down in the 3 R TURBO and 4 R TURBO is the TURBO ZONE<sup>™</sup>, with which you can achieve the highest temperatures on the barbecue at turbo speed. To lower the temperature a little, on the other hand, there is a warming grade made of stainless steel. The grillrounder is finished off by the SWITCH GRID<sup>™</sup> system, which allows you to use a Sear Grate, pizza stone, pan, poultry roaster or Dutch oven, and two folding side shelves.

HEAD



#### **CHICAGO NEXT SERIES**



#### 3

- 3 stainless steel burners
- Enamelled cast iron grate
- Warming grate made of stainless steel
- · 2 fold-down side shelves

#### ART. NO. 893933

0.0

🗍 W 124 x D 51 x H 108 cm

NEW

- W 62 x D 42 cm • 9.6 kW / 30 mbar
- KG 33.5 kg



FIND HERE HOSE AND

#### **3 R TURBO**

- · 800 °C TURBO ZONE™
- · 3 stainless steel burners
- SWITCH GRID<sup>™</sup>
- · Warming grate made of stainless steel
- · 2 fold-down side shelves

- ART. NO. 893433
- 🗒 W 124 x D 51 x H 108 cm W 62 x D 42 cm
- ۲ 10.6 kW / 30 mbar
- кс ко 34 kg

00

00

**CHICAGO NEXT 3 R TURBO** 

**TOP FEATURES** 

Warming grate made of stainless steel

3 stainless steel burners

for powerful direct and indirect grilling/baking



800 °C TURBO ZONE (4.2 KW) with infrared mesh: reaches extra-high temperatures super fast to ensure top searing results



#### 11 KG GAS BOTTLE can be left in the base cabinet during operation

#### **4 R TURBO**

ART. NO. 8936633

- · 800 °C TURBO ZONE™
- · 4 stainless steel burners SWITCH GRID<sup>™</sup>
- · Warming grate made of
- stainless steel
- · 2 fold-down side shelves

- 🗒 W 134.5 x D 51 x H 108 cm
- W 71 x D 42 cm
- ۲ 13 kW / 30 mbar
- кс 39 kg







Double-walled lid made of stainless steel with integrated thermometer

> Removable fat collection drawer for easy cleaning



**SWITCH GRID:** enamelled cast iron grate with multiple grilling options



FOLD-DOWN SIDE SHELVES for space-saving storage of the barbecue

#### CHICAGO NEXT PRODUCT OVERVIEW



CHICAGO NEXT	3	3 R TURBO	4 R TURBO
Article number	893933	893433	8936633
Stock item	-	•	٠
Total output kW	9.6	10.6	13
Stainless steel burners x kW	3 x 3.2	2 x 3.2 / 1 x 4.2	3 x 3 / 1 x 4
800 °C TURBO ZONE™	-	•	•
SWITCH GRID™	-	•	٠
Double-walled lid	Stainless steel	Stainless steel	Stainless steel
Thermometer	•	•	•
Cooking chamber	Enamelled steel	Enamelled steel	Enamelled steel
Ignition	Piezo	Piezo	Piezo
Grill area cm / cm²	62 x 42 / 2,600	62 x 42 / 2,600	71 x 42 / 2,982
Grill grate	Enamelled cast iron /	Enamelled cast iron /	Enamelled cast iron /
-	three-part	three-part	four-part
Warming grate cm / cm <sup>2</sup> / ma-	56 x 11 / 616 /	56 x 11 / 616 /	66 x 11 / 726 /
terial	Stainless steel	Stainless steel	Stainless steel
Flame covers	Enamelled steel	Enamelled steel / stain- less steel	Enamelled steel / stain less steel
Removable fat drawer with fat collection tray	•	•	•
Side shelves / foldable	2/2	2/2	2/2
Storable gas bottle (max.)	11 kg	11 kg	11 kg
Swivel castors / lockable	4 / 4	4 / 4	4 / 4
Hose & gas pressure regulator	-	-	-
Working height cm	85	85	85
Assembled dimensions cm	W 124 x D 51 x H 108	W 124 x D 51 x H 108	W 134.5 x D 51 x H 10
Dimensions with side shelves folded down cm	W 92 x D 51 x H 108	W 92 x D 51 x H 108	W 119 x D 51 x H 108



#### CHICAGO NEXT ACCESSORIES







SWITCH GRID DUTCH OVEN ART. NO. 7795



SWITCH GRID CHICAGO NEXT 3 ART. NO. 7756



CAST-IRON REVERSIBLE PLATE 1/3 CHICAGO NEXT 3 ART. NO. 7899




PREMIUM WEATHER PROTECTION COVER CHICAGO NEXT 3 + 4 ART. NO. 5700



SWITCH GRID OTHER INSERTS ART. NO. 7793/7792/7790/7791



BARBECUE ROTISSERIE PRO CHICAGO NEXT 3 + 4 ART. NO. 7908







SWITCH GRID CAST-IRON REVERSIBLE PLATE 1/2 CHICAGO NEXT 4 ART. NO. 7894

# BBOOKINN NEXT

#### **BALCONY KING**

The BROOKLYN NEXT series will transform your balcony into a barbecuing paradise. With two or three stainless steel burners, it offers maximum grilling performance in a compact design – perfect for limited urban spaces. Combine it with high-quality accessories such as the SWITCH GRID<sup>™</sup> with various inserts, the stainless steel grill pan or the rotisserie, you'll be the hottest figure in the neighbourhood. Not least because of the elegant design of the BROOKLYN NEXT series.

÷



#### **BROOKLYN NEXT SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 161

## **BROOKLYN NEXT 3 TOP FEATURES**





**3 STAINLESS STEEL BURNERS** for powerful direct and indirect grilling



FOLD-DOWN SIDE SHELVES for compact storage



KG

- · Stainless steel grate
- · Stainless steel warming grate
- · 2 fold-down side shelves
- W 37.5 x D 33 cm ۲ 5.6 kW / 30 mbar 17.5 kg



- Stainless steel warming grate
- · 2 fold-down side shelves
- ۲ 7.05 kW / 30 mbar кс 20 kg

CE





Extremely sturdy lid with integrated thermometer

Removable fat tray for easy cleaning



STAINLESS STEEL GRATE for even heat distribution and easy cleaning



SIDE POCKET to store barbecue utensils


#### BROOKLYN NEXT Product overview

BROOKLYN NEXT	2	3
Articel number	8645630	8646630
Stock goods	•	•
Total output in kW	5.6	7.05
Stainless steel burners x kW	2 x 2.8	3 x 2.35
Lid	Powder-coated steel	Powder-coated steel
Thermometer	•	•
Combustion chamber	Powder-coated steel	Powder-coated steel
Ignition	Piezo	Piezo
Grill surface cm / cm²	37.5 x 33 / 1,237.5	50.5 x 33 / 1,666.5
Grill grate	Stainless steel / two sections	Stainless steel / three sections
Warming grate cm / cm² / Material	35 x 11 / 385 / Stainless steel	
Flame tamers	Enamelled steel	Enamelled steel
Removable fat tray with fat collector	•	•
Side shelves / foldable	2/2	2/2
Storable gas bottle (max.)	5 kg	5 kg
Outdoor wheels	2	2
Hose and gas pressure regulator	-	-
Working height in cm	81	81
Dimensions in cm	W 100 x D 54 x H 106.5	W 113 x D 54 x H 106.5
Dimensions with side shelves folded down cm	W 62 x D 54 x H 106.5	W 75 x D 54 x H 106.5




#### BROOKLYN NEXT Accessories





SWITCH GRID BROOKLYN NEXT 2 ART. NO. 7808



STAINLESS STEEL GRILL PAN BROOKLYN NEXT 2 ART. NO. 7887



STAINLESS STEEL ROTISSERIE BROOKLYN NEXT 2 + 3 ART. NO. 7911




GAS BOTTLE COVER STYLE 5 KG RED/BLACK ART. NO. 5114/5115



SWITCH GRID ADDITIONAL INSERTS ART. NO. 7793/7792/7790/7791



SWITCH GRID BROOKLYN NEXT 3 ART. NO. 7809



STAINLESS STEEL GRILL PAN BROOKLYN NEXT 3 ART. NO. 7888



PREMIUM WEATHER COVER BROOKLYN NEXT 2 + 3 ART. NO. 5691

# SAN DIEGO

#### TOO GREAT TO BE SMALL.

The SAN DIEGO series BBQs are real BBQ marvels. They offer spacious preparation and storage areas, but take up very little space. Perfect for small terraces, mini balconies or hot dates. Their sturdy frames come with a large shelf for plates and food and two additional shelves on the sides to store spices and sauces. A stainless steel warming grate opens and closes with the lid. And as it is made of durable stainless steel, it's easy to clean when you're done cooking up a storm. And speaking of clean: the spotless matt-black design of the stainless steel burner gas grill blends smoothly into any environment.

110

111

Enders

#### SAN DIEGO **SERIES**



#### 2

- · 2 stainless steel burners
- · Stainless steel grate
- · Stainless steel warming grate



- ∰ W 93.5 x D 52 x H 97 cm W 37.5 x D 33 cm
- ۲ 5.6 kW / 30 mbar
- KG 13 kg



FIND HERE HOSE AND

REGULATOR KITS PAGE 161

- Stainless steel grate
- Stainless steel warming grate
- W 50.5 x D 33 cm ۲ 7.05 kW / 30 mbar KG 15.5 kg

CE



.1

.

.

· 4 stainless steel burners

4

- · Stainless steel grate
- · Stainless steel warming grate
- · Space for 5 kg gas bottle
- 🛄 W 112 x D 52 x H 100 cm W 61.5 x D 33 cm ۲ 9 kW / 30 mbar кс 22 kg

# SAN DIEGO 4 Top features





**4 STAINLESS STEEL BURNERS** for powerful direct and indirect grilling



STAINLESS STEEL WARMING GRATE opens with the lid



Enders

2 side shelves for storing BBQ utensils



STAINLESS STEEL GRATE for even heat distribution and easy cleaning



PLENTY OF STORAGE SPACE: 5 kg gas bottle can remain in the base unit during use

#### SAN DIEGO Product overview



SAN DIEGO			
	2	3	4
Articel number	8114633	8116633	8121630
Stock goods	•	•	•
Total output in kW	5.6	7.05	9
Stainless steel burners x kW	2 x 2.8	3 x 2.35	4 x 2.25
Lid	Powder-coated steel	Powder-coated steel	Powder-coated steel
Thermometer	•	•	•
Combustion chamber	Powder-coated steel	Powder-coated steel	Powder-coated steel
Ignition	Piezo	Piezo	Piezo
Grill surface cm / cm²	37.5 x 33 / 1,237.5	50.5 x 33 / 1,666.5	61.5 x 33 / 2,029.5
Grill grate	Stainless steel / two sections	Stainless steel / three sections	Stainless steel / four sections
Warming grate (opens with the lid) cm / cm² / material	32 x 14.5 / 464 / Stainless steel	45 x 14.5 / 652.5 / Stainless steel	56 x 14.5 / 812 / Stainless steel
Flame tamers	FAL	FAL	FAL
Removable fat tray with fat collector	•	•	•
Side shelves / foldable	2/0	2/0	2/0
Storable gas bottle (max.)	-	-	5 kg
Outdoor wheels	2	2	2
Hose and gas pressure regulator	-	-	-
Working height in cm	81	81	85
Dimensions in cm	W 93.5 x D 52 x H 97	W 102 x D 52 x H 97	W 112 x D 52 x H 100




#### SAN DIEGO Accessories



SWITCH GRID WOK ART. NO. 7797



SWITCH GRID SAN DIEGO 2 ART. NO. 7808



STAINLESS STEEL GRILL PAN SAN DIEGO 2 ART. NO. 7887



PREMIUM WEATHER COVER SAN DIEGO 2 + 3 ART. NO. 5690




GAS BOTTLE COVER STYLE 5 KG RED/BLACK ART. NO. 5114/5115



SWITCH GRID ADDITIONAL INSERTS ART. NO. 7792/7790/7791



SWITCH GRID SAN DIEGO 3 ART. NO. 7809



SAN DIEGO 3 + 4 ART. NO. 7888

PREMIUM WEATHER COVER

SAN DIEGO 4

ART. NO. 5689



GAS BOTTLE COVER STYLE 11 KG RED/BLACK ART. NO. 5116/5117

# URBAN

#### CHECK IT OUT, THE BARBECUE THAT GETS IT RIGHT EVERYTIME!

With the BBQs of the URBAN series, you'll be sure to have several irons in the fire. Whether grilling, cooking or baking, you will always be able to satisfy your hunger – the URBAN, a true master in its class. In addition to high-performance grilling, the all-rounder also comes up trumps with its appealing design and intelligent technology. What can't it do? Working with gas bottles or screw-in cartridges is certainly not one of its weaknesses. In other words: you can fire up any party with the tabletop version of the URBAN! No matter whether the action's happening on the balcony or in the park at the other end of the city. The PRO version also comes with a sturdy, durable and lightweight cast aluminium hood. And with the URBAN series trolley, you can really get the barbecue going, as the mobile gas barbecue can be moved conveniently and safely on its mobile base. The practical side shelves will also give you the space you need.

BARBECUES | GAS 69

#### URBAN **SERIES**





#### URBAN

- · 2 stainless steel burners
- Enamelled cast iron grate
- · Chrome-plated pan grates
- · Barbecue hood made of powder-coated steel
- ART. NO. 209533 W 94 x D 42 x H 34 cm
- 骨 W 48 x D 32 cm
- ۲ 4.4 kW / 30 mbar
- ∫ KG 13 kg



#### **URBAN PRO**

- · 2 stainless steel burners
- · Enamelled cast iron grate
- · Chrome-plated pan grates
- · Barbecue hood made of powder-coated cast aluminium
- ART. NO. 206033 ₩ 94 x D 42 x H 38 cm
  - W 48 x D 32 cm ( 4.4 kW / 30 mbar
  - кс 13 kg



雷

 $(\mathbf{b})$ 

KG

#### **URBAN TROLLEY**

- · 2 stainless steel burners
- · Enamelled cast iron grate
- Chrome-plated pan grates
- · Barbecue hood made of powder-coated steel
- Robust trolley



#### **URBAN PRO TROLLEY**

- 2 stainless steel burners
- Enamelled cast iron grate
- Chrome-plated pan grates
- Barbecue hood made of powder-coated cast aluminium
- · Robust trolley

- ART. NO. 208033 罰 W 94 x D 55 x H 99.5 cm
- W 48 x D 32 cm ( 4.4 kW / 30 mbar
- KG
- 18.5 kg

#### **URBAN PRO TROLLEY TOP FEATURES**



GRILLING COOKING COOKING



SOLID, ENAMELLED CAST IRON GRATE with integrated flame covers





SLIDER SYSTEM for easy connection and disconnection of barbecue and trolley

REMOVABLE SIDE SHELVES can be stored on the side of the trolley to save space



ART. NO. 208133

W 94 x D 55 x H 95.5 cm

W 48 x D 32 cm

18.5 kg

4.4 kW / 30 mbar



Large volume barbecue hood made of sturdy cast aluminium, optimised for low-temperature cooking

> 2 stainless steel burners for powerful direct and indirect grilling, cooking and baking

> > Sturdy trolley for high stability and ease of transport







**3 DIFFERENT COOKING FUNCTIONS:** grilling, cooking and baking



**OPERATION** with gas bottle or screw-in cartridge

### URBAN PRODUCT OVERVIEW



	URBAN	URBAN TROLLEY	URBAN PRO	URBAN PRO TROLLEY
Article number	209533	208133	206033	208033
Stock item	•	•	•	•
Total output kW	4.4	4.4	4.4	4.4
Stainless steel burners x kW	2 x 2.2	2 x 2.2	2 x 2.2	2 x 2.2
Barbecue hood	Powder-coated steel	Powder-coated steel	Powder-coated cast aluminium	Powder-coated cast aluminium
Thermometer	•	•	•	•
Housing	Powder-coated cast aluminium	Powder-coated cast aluminium	Powder-coated cast aluminium	Powder-coated cast aluminium
Ignition	Piezo	Piezo	Piezo	Piezo
Grill area cm / cm²	48 x 32 / 1,536			
Grill grate	Enamelled cast iron / two-part			
Chrome-plated, removable pan grates	•	•	•	•
Removable fat collection trays	2	2	2	2
Storable gas bottle (max.)	-	5 kg	-	5 kg
Side shelves / removable	2/2	2/2	2/2	2/2
Outdoor wheels	-	2	-	2
Operation	Gas bottle & screw-in cartridge			
Hose & gas pressure regulator*	-	-	-	-
Working height cm	23	86	23	86
Assembled dimensions cm	W 94 x D 42 x H 34	W 94 x D 55 x H 95.5	W 94 x D 42 x H 38	W 94 x D 55 x H 99.5
Dimensions with side shelves removed cm	W 70 x D 42 x H 34	W 70 x D 55 x H 95.5	W 70 x D 42 x H 38	W 70 x D 55 x H 99.5

\*for gas bottle operation



### URBAN ACCESSORIES



CAST-IRON REVERSIBLE PLATE 1/2 ART. NO. 2075



PIZZA STONE INCL. HOLDER ART. NO. 8602



CARTRIDGE HOLDER SET ART. NO. 2082 (30 MBAR / Ø 8MM NOZZLE) ART. NO. 2083 (30 MBAR / Ø 10MM NOZZLE)



PREMIUM WEATHER PROTECTION COVER URBAN + URBAN PRO ART. NO. 5681



GAS BOTTLE COVER STYLE 5 KG RED/BLACK ART. NO. 5114/5115



NEW

STAINLESS STEEL WOK ART. NO. 8825



STAINLESS STEEL GRILL PAN ART. NO. 2076



TROLLEY ART. NO. 2065



SCREW-IN CARTRIDGE 450 G ART. NO. 6322



PREMIUM WEATHER PROTECTION COVER URBAN TROLLEY + URBAN PRO TOLLEY ART. NO. 5699



GAS BOTTLE COVER STYLE 11 KG RED/BLACK ART. NO. 5116/5117

### **PACO**<sup>TM</sup>

### PACO BELLO

The PACO<sup>™</sup> pizza oven series is the ultimate way to conjure up picobello Neapolitan-style pizzas Thanks to a continuously adjustable stainless steel burner, you can set the heat in the PACO<sup>™</sup> precisely and keep it all in with the cast aluminium plate and a double-walled, insulated housing. You can check the temperature on the thermometer integrated into the side. And just in case, there is an ignition failsafe built in which interrupts the gas supply if the flame goes out. Another convenient feature: the folding leg design makes transport extremely easy. A further highlight of the series: the SELF ROTATING PIZZA<sup>™</sup> function means that the pizza stone turns evenly and your Margheritas, Marinaras and other pizzas are guaranteed to be a success on the PACO<sup>™</sup> ROTATE.



### PACO<sup>™</sup> PIZZA OVEN NEW **SERIES**





### **PACO**<sup>™</sup>

ART. NO. 3130633

W 65 x D 39 x H 31 cm

W 33.5 x D 33.5 cm

10 kg

- · 1 stainless steel burner
- · Cordierite pizza stone
- · Double-walled, insulated housing with integrated thermometer on the side  $\int_{\kappa_0}^{\infty}$
- 4 kW / 30 mbar



**PACO<sup>™</sup> ROTATE** 

**W** 65 x D 39 x H 31 cm

- · 1 stainless steel burner
- · Rotating cordierite pizza stone
- · Motor operation can be switched on for even rotation
- · Double-walled, insulated housing with integrated thermometer on the side



- Ø 30.5 cm
- 6 4 kW / 30 mbar кс 11 kg

PREMIUM WEATHER PROTECTION COVER PACO ART. NO. 5687

PACO<sup>™</sup> ROTATE **TOP FEATURES** 

Integrated ignition failsafe for additional safety

Removable pizza stone for easy cleaning







ULTRA-HOT GAS PIZZA OVEN bakes the perfect Neapolitan-style pizza in just a few . minutes

FOLDING LEGS for easy transport and space-saving storage



WITH INTEGRATED THERMOMETER ON THE SIDE







Plate made of high-quality cast aluminium





CONTINUOUSLY ADJUSTABLE STAIN-LESS STEEL BURNER (4 KW) for various heat settings

LARGE, ROTATING PIZZA STONE (Ø 30.5 CM) offers all sorts of baking options for a wide range of dishes




DOUBLE-WALLED, INSULATED HOUSING ensures optimal heat storage and lasting pizza pleasure

## BFLOW<sup>®</sup> PBC

### FULL ELECTRICAL POWER.

Full power: the eFLOW<sup>®</sup> PRO 2 TURBO. Equipped to the max with innovative features, this one doesn't do things by halves, but gives you full charge straight away. From TURBO ZONE<sup>™</sup> to SWITCH GRID<sup>™</sup> – everything is there to make your BBQ heart beat faster (and hotter). Speaking of which: the two heating elements are infinitely adjustable with the help of LED-illuminated controls and allow you to barbecue and bake both directly and indirectly. Whatever you have in mind – with almost 2,000 cm<sup>2</sup> of grill area, you have more than enough space for it. And that's just on the top, because the base cabinet offers further storage space and an additional shelf. This amazing barbecue is simply a work of art: cast aluminium elements, such as parts of the barbecue hood and the cooking chamber, not only give the eFLOW<sup>®</sup> a fascinating appearance, but also ensure complete stability. And by the way, the power pack is available in both stainless steel and our matt graphite out of the SHADOW series. The only question: what more could you want?



Enders

### eFLOW<sup>®</sup> PRO **SERIES**





### eFLOW<sup>®</sup> PRO 2 TURBO **TOP FEATURES**





CONTROLLER AND MAIN SWITCH with LED illumination









Double-walled lid made of stainless steel with integrated thermometer

High-quality cast aluminium side panels on barbecue hood and cooking chamber

Control panel and double-walled door made of stainless steel





SWITCH GRID: enamelled cast iron grate with multiple grilling options





SPACIOUS BASE CABINET with additional storage shelves

### eFLOW® PRO PRODUCT OVERVIEW





eFLOW <sup>®</sup> PRO 2 TURBO	STAINLESS STEEL	SHADOW
Article number	9710	9712
Stock item	•	•
Total output kW	3	3
Heating elements x kW	3 x 1.5 (max. 2 usable simultaneously)	3 x 1.5 (max. 2 usable simultaneously)
TURBO ZONE™	•	•
SWITCH GRID™	•	•
SIMPLE CLEAN™	•	•
Double-walled lid	Stainless steel	Enamelled steel
Cooking chamber	Stainless steel / cast aluminium	Stainless steel / cast aluminium
Grill area cm / cm²	50 x 39 / 1,950	50 x 39 / 1,950
Grill grate	Cast iron grate / two-part	Cast iron grate / two-part
Integrated warming grate cm / cm² / material	45.5 x 16.5 / 751 / stainless steel	45.5 x 16.5 / 751 / stainless stee
Removable fat collection drawer	•	•
Side shelves / foldable	2/2	2/2
Double-walled doors	Stainless steel	Powder-coated steel
Working height cm	89	89
Assembled dimensions cm	W 112.5 x D 57 x H 111.5	W 112.5 x D 57 x H 111.5
Dimensions with side shelves folded down cm	W 76 x D 57 x H 111.5	W 76 x D 57 x H 111.5
Cable length cm	220	220



### eFLOW® PRO ACCESSORIES



SWITCH GRID DUTCH OVEN ART. NO. 7795



STAINLESS STEEL ROTISSERIE eFLOW PRO ART. NO. 7905



SWITCH GRID OTHER INSERTS ART. NO. 7793/7792/7790/7791



PREMIUM WEATHER PROTECTION COVER eFLOW PRO ART. NO. 5691

## **BFLAVOUR**

### **FLAVOUR FUSION**

An electric barbecue that suits your tastes. The eFLAVOUR<sup>®</sup> is the epitome of the fusion of power, technology and design. With a total output of 3 kW distributed over the two heating zones or focused only on the right side of the grill, there is sufficient electric power for a wide variety of BBQ dishes. Along with the TURBO ZONE<sup>™</sup>, SWITCH GRID<sup>™</sup> and SIMPLE CLEAN<sup>™</sup> are also on board to give your grilling experience even more options and convenience. Thanks to a grate surface area of almost 2,000 cm<sup>2</sup>, enclosed by a double-walled lid, there is plenty of space to keep all your party guests satisfied. Moreover, the eFLAVOUR<sup>®</sup> has an exclusive design feature: instead of a door in the bottom cabinet, it has holders on the front legs that accommodate an attractively shaped serving tray. There it hides the shelves from views. Used to serve up the grilled food when it's ready, it really comes into its own and brings just the right flavour to the table – with real flair!

BARBECUES | ELECTRIC 85

### **eFLAVOUR**<sup>®</sup> NEW

### eFLAVOUR® 2 TURBO **TOP FEATURES**

Spacious base cabinet with additional storage shelve

Large grill area of almost 2,000 cm<sup>2</sup> for maximum grilling fun

BOTH ZONES

3,000 WATTS

hot searing

DIRECT AND INDIRECT GRILLING AND BAKING WITH SEARING AT THE TWO HEATING ZONES

LEFT ZONE

1,500 WATTS

TOUCH OF A BUTTON

3,000 WATTS

0 3

D

**RIGHT ZONE** TURBO ZONE



TURBO ZONE (3 kW): super-fast, extra high temperatures at the touch of a button for be removed without tools

1,500 WATTS



2 FOLD-DOWN SIDE SHELVES that offer

space-saving storage

CONTROLLER AND MAIN SWITCH with LED illumination



- (3 x 1.5 kW) • 2 fold-down side shelves
- кс 31.5 kg





Enders

Double-walled lid with integrated thermometer

Removable fat collection drawer for easy cleaning



ual parts of the cooking chamber that can





SIMPLE CLEAN: easy cleaning with individ- SWITCH GRID: enamelled cast iron grate with multiple grilling options



PRACTICAL SERVING TRAY held in vertical position to make it easy to remove and replace

### eFLAVOUR® 2 TURBO PRODUCT OVERVIEW



### eFLAVOUR® 2 TURBO

Article number	97156
Stock item	•
Total output kW	3
Heating elements x kW	3 x 1.5 (max. 2 usable simultaneously)
TURBO ZONE™	•
SWITCH GRID™	•
SIMPLE CLEAN™	•
Double-walled lid	Powder-coated steel
Cooking chamber	Powder-coated steel
Grill area cm / cm²	50 x 39 / 1,950
Grill grate	Cast iron grate / two-part
Integrated warming grate cm / cm² / material	45.5 x 16.5 / 751 / stainless steel
Removable fat collection drawer	•
Side shelves / foldable	2/2
Serving tray	•
Working height cm	89.5
Assembled dimensions cm	W 108 x D 57 x H 108.5
Dimensions with side shelves folded down cm	W 75.5 x D 57 x H 108.5
Cable length cm	250



### eFLAVOUR® ACCESSORIES



### SWITCH GRID DUTCH OVEN ART. NO. 7795



STAINLESS STEEL ROTISSERIE eFLAVOUR ART. NO. 7905



SWITCH GRID OTHER INSERTS ART. NO. 7793/7792/7790/7791



PREMIUM WEATHER PROTECTION COVER eFLAVOUR ART. NO. 5691

## **BGRAVE**

### A REAL ALTERNATIV-E

The eCRAVE<sup>®</sup> 2 is the BBQ solution for those who want an extremely compact electric grill but are not prepared to compromise on the grilling experience. A genuine alternativ-E, which allows powerful direct and indirect grilling thanks to two separately adjustable heating elements. Combined with the enamelled grill grate, the eCRAVE<sup>®</sup> 2 leaves a unique branding on the food. But one thing that always disappears: dirt. With SIMPLE CLEAN<sup>™</sup>, cleaning even stubborn dirt is a cinch. Fold-down side shelves and plenty of storage space in the base cabinet also make the smart electric BBQ a space-saving miracle which will fit in almost anywhere.









eCRAVE® 2


16
1.3 kW
x 33.5 / 1,709
st iron grate / two-part
x 12 / 576 / inless steel
103 x D 51.5 x H 99
53 x D 51.5 x H 99
)
6

### **eCRAVE**<sup>®</sup> **ACCESSORIES**



PREMIUM WEATHER PROTECTION COVER eCRAVE 2 ART. NO. 5690





Grill area of 1,709 cm<sup>2</sup> for maximum barbecue fun



SIMPLE CLEAN: easy cleaning with individ- ENAMELLED CAST IRON GRATE with a ual parts of the cooking chamber that can be removed without tools

0.

variety of barbecuing options



2 FOLD-DOWN SIDE SHELVES that offer space-saving storage



LED illumination

Enders

Sturdy barbecue hood with integrated thermometer

With plenty of storage space in the base cabinet





**INTEGRATED WARMING GRATE** made of stainless steel

CONTROLLER AND MAIN SWITCH with



**REMOVABLE FAT COLLECTION DRAWER** for easy cleaning

## **AUBOBA**

### SO MUCH MORE THAN MEETS THE EYE.

The AURORA<sup>®</sup> has a lot to offer. There's no smoke and mirrors involved here. While other charcoal table barbecues produce smoke like old locomotives, this BBQ sizzles away in clean, unobtrusive style. Its emission-free profile is based on the battery-powered and extremely quiet E-FAN BBQ fan technology. It not only ignites the easy-to-fill charcoal compartment underneath the enamelled preparation surface, but also fires our passion for barbecuing the original way.



reddot award 2017 winner





reddot award 2017


### winner





ART. NO. 1360/1363/1364\*

- Enamelled grill grate
- Outer shell made of coated steel
- Practical barbecue grate lifter



### **AURORA® MIRROR SERIES**





### AURORA® MIRROR COPPER/BLACK/MATT SILVER

- · Solid, enamelled cast iron grate
- Mirrored surface
- · LED ambient light under the grill connectable
- Practical barbecue grate lifter



- ₩ 47 x D 26 x H 13.5 cm
- W 37 x D 25 cm KG
- 5.7 kg



### AURORA® MIRROR TOP FEATURES

- Cast iron grate 925 cm² grill area Unique branding
- Charcoal storage compartment Easy to fill
- Long-lasting burn

Grip recesses for easy transport

Extremely shallowand therefore ideal on a table

### Hybrid concept

Battery compartment
Power bank connection (USB cable supplied)

### **AURORA<sup>®</sup> ACCESSORIES**



**BEECH CHARCOAL 1 KG** ART. NO. 1383



BAG ART. NO. 1389





### Even heat distribution right up to the edges

### E-FAN-BBQ fan technology

- Extremely quiet
- Continuously adjustable
  Grill ready to use
- quickly & little smoke

Ambient lightfor atmospheric LED illumination






**IGNITION PASTE 200 ML** ART. NO. 1386

CAST IRON GRATE ART. NO. 1388

# BARBECUE ACCESSORIES



Enders

### UNIVERSAL ACCESSORES



PREMIUM BARBECUE TONGS MADE OF STAINLESS STEEL ART. NO. 8787



PREMIUM BARBECUE SPATULA MADE OF STAINLESS STEEL ART. NO. 8788



BARBECUE TONGS WITH LOCK FUNCTION MADE OF STAINLESS STEEL ART. NO. 8782



MELTING DOME MADE OF STAINLESS STEEL Ø 16 x H 10 CM ART. NO. 8783



PREMIUM BURGER SET ART. NO. 8819





CHARCOAL STARTER FOR CHARCOAL BARBECUES W 19 x L 29.5 x H 27.5 CM ART. NO. 88246



**SMOKER BOX** MADE OF STAINLESS STEEL <u>W 21 x D 13 x H 3.5 CM</u> ART. NO. 8812

PREMIUM

ART. NO. 8789

PREMIUM

ART. NO. 8786

ART. NO. 8784

ART. NO. 8816

**BURGER PRESS** 

ART. NO. 8813

MADE OF PLASTIC

BARBECUE CUTLERY

**BARBECUE SPATULA** 

WITH SHORT HANDLE

MADE OF STAINLESS STEEL

CAST IRON BURGER PRESS

3-PC. SET INCL. BAG

BARBECUE FORK

MADE OF STAINLESS STEEL



CAST IRON PAN M INCLUDING BAMBOO BOARD/ COVER W 23 X D 42 X H 6 CM ART. NO. 8772



 TAPAS BOWL SET
 NEW

 4-PIECE
 CAST IRON

 4 x W 9 x D 19 x H 3.5 CM
 ART. NO. 7931



VEGETABLE PAN NON-STICK COATING W 32.5 x D 27.5 x H 8.5 CM ART. NO. 8790



BBQ BASKET S MADE OF STAINLESS STEEL W 25.5 x D 21 x H 5.5 CM ART. NO. 8821



BBQ TRAY MADE OF STAINLESS STEEL <u>W 32 x D 19 x H 1.5 CM</u> ART. NO. 8804



RIB HOLDER MADE OF STAINLESS STEEL W 33 x D 21 x H 10.5 CM ART. NO. 8823



SHASHLIK SKEWER SET MADE OF STAINLESS STEEL W 38 x D 28 x H 4.5 CM ART. NO. 8802







Enders



CAST IRON PAN L INCLUDING BAMBOO BOARD/ COVER W 28 X D 50 X H 6 CM ART. NO. 8773




2-PIECE CAST IRON BOWL SET 2 x W 20.5 x D 17 x H 4.5 CM ART. NO. 7936



NFW

**STAINLESS STEEL WOK** <u>W 32 x L 53.5 x X H 21 CM</u> ART. NO. 8825





FISH AND VEGETABLE HOLDER MADE OF STAINLESS STEEL W 44 x D 25.5 x H 6.5 CM ART. NO. 8807



DESIGN

CHICKEN WING HOLDER MADE OF STAINLESS STEEL W 41.5 x D 14.5 x H 12 CM ART. NO. 8806





TEMPERATURE SENSOR SET SUITABLE FOR LCD WIRELESS THERMOMETER ART. NO. 8803

NEV



### PIZZA Accessories



PREMIUM PIZZA CUTTER MADE OF STAINLESS STEEL W 35.5 x D 11 x H 2.5 CM ART. NO. 8771



**PIZZA STONE** Ø 31.5 CM ART. NO. 8791



**PIZZA STONE** <u>W 40 x D 30 x H 1.5 CM</u> ART. NO. 8775



PREMIUM PIZZA SHOVEL MADE OF STAINLESS STEEL W 20 x D 53 x H 3.5 CM ART. NO. 8770



SWITCH GRID

PIZZA STONE

ART. NO. 7790

Ø 31.5 CM

PIZZA STONES, SET OF 4 19 x 19 CM ART. NO. 8811


### **UNDERCOVER PIZZERIA**

The PIZZA COVER TURBO is the perfect addition to your COLORADO or MONROE PRO with back burner. With its double-walled stainless steel design and a full-size, rectangular pizza stone, you will get that real pizzeria feeling on your plate. Another highlight and also a complete innovation is the large viewing window on the top of the cover that offers a convenient option for monitoring the turbo baking process.


NEW

Art. no. 7881

### PIZZA COVER TURBO



- Made of stainless steel
- With integrated thermometer
- Including large pizza stone (38 x 30 cm)
- Suitable for MONROE PRO and COLORADO with back burner



The PIZZA COVER TURBO captures the ultra high heat of the infrared back burner and conducts it cleverly over the cover to generate the perfect heat from above. The additional heat from the main burners provides the ideal heat distribution under the PIZZA COVER TURBO – the secret to a fast, perfectly baked pizza experience.





### ROTISSERIES

### PLANCHA

### **A PROFESSIONAL PLAYER**

Turning heads around the world: the BARBECUE ROTISSERIE PRO made of stainless steel. Thanks to its clever universal holder made of cast aluminium, it is guaranteed to run smoothly. The rotisserie is attached to your barbecue in no time and without the use of tools. Its dual motor runs either on batteries or on electricity from the socket. The BARBECUE ROTISSERIE PRO also impresses with its easy handling and space-saving storage. A professional rotisserie solution and a real all-rounder to boot.

### **ROTISSERIE PRO**

Art. no. 7908

- Universal barbecue rotisserie made of stainless steel with cast aluminium holders
- $\cdot\;$  Quick and easy attachment of the cast aluminium adapters without the need for tools
- Quiet electric motor can be powered by batteries or mains electricity
- Made of durable materials for a load-bearing capacity of approx. 10 kg

### Barbecue rotisserie Pro for 3 + 4 burners

Art. no. 7908

- for UNIQ PRO
- for KANSAS II PRO 3 + 4
- for MONROE PRO 3 + 4
- for COLORADO 3 + 4
- for BOSTON 3 + 4
- for CHICAGO NEXT 3 + 4

### **STAINLESS STEEL ROTISSERIES**

- $\cdot$   $\,$  for the COLORADO 6  $\,$
- $\cdot~$  for CUBIQ PRO 3, eFLOW PRO, eFLAVOUR 2
- for BOSTON 3 + 4
- for BROOKLYN NEXT 2 + 3



Art. no. 7911



### **PLANCHA PERFECTION**

- Maximum heat storage and distribution with solid, enamelled cast-iron
- Grilled food is easy to turn thanks to the smooth surface and raised edge
- Effective removal of excess fat with the integrated fat channel
- Safe and convenient to transport with two handles
- Large grill area with sufficient space for easy barbecue fun

### PLANCHA H

Art. no. 7799

- W 42 x D 45 x H 8 cm
- Grill area over 1,000 cm<sup>2</sup>
- 7.1 kg

### for the cooking chamber

- of the KANSAS II PRO
- of the MONROE PRO
- of the COLORADO
- of the BOSTON
- of the CUBIQ PRO

### PLANCHA L



NEW

Art. no. 7884

- W 57 x D 45 x H 8 cm
- · Grill area over 1,400 cm<sup>2</sup>
- 9.4 kg

### for the cooking chamber

- · of the KANSAS II PRO 4
- $\cdot~$  of the MONROE PRO 3
- $\cdot$  of the COLORADO 3 + 6
- of the BOSTON 3 + 6

### PLANCHA XL

- · W 67 x D 45 x H 8 cm
- · Grill area over 1,700 cm<sup>2</sup>
- 10.7 kg

### for the cooking chamber

- · of the MONROE PRO 4
- of the COLORADO 4 + 6
- of the BOSTON 4 + 6







### **REVERSIBLE PLATES** & PANS





### **STAINLESS STEEL GRILL PANS**

### For the cooking chamber

- SAN DIEGO 2, **BROOKLYN NEXT 2**
- SAN DIEGO 3 + 4
- **BROOKLYN NEXT 3**
- for the URBAN/EXPLORER NEXT series

Art. no. 7888

Art. no. 2076

Art. no. 7887

### **STAINLESS STEEL GRILL PANS**

### for the Side cooker

- for the KANSAS II PRO 3 + 4 with Side cooker
- for the MONROE PRO 3 + 4 with Side cooker, for the COLORADO 6 with Side cooker, for BOSTON 3 + 4 + 6 with Side cooker
- Art. no. 7885 Art. no. 7712





**BBQ PROTECTIVE MAT 120 CM** MADE OF SOFT PVC W 80 X L 120 CM ART. NO. 7407


PREMIUM GRILL BRUSH

WITH STAINLESS STEEL

BRISTLES

ART. NO. 8817


NFW



### **CAST-IRON REVERSIBLE PLATES**

### Cast-iron reversible plate 1/3

- for the KANSAS II PRO 3 · for the MONROE PRO 3, COLORADO 3, BOSTON 3
- · for the COLORADO 6, BOSTON 6
- · for the CHICAGO NEXT 3



Art. no. 7880 Art. no. 7882

> Art. no. 7893 Art. no. 7899

ART. NO. 8815

SILICONE CUTLERY TRAY

W 30 x D 19.5 x H 2.5 CM



**GRILL GRATE CLEANER** 500 ML ART. NO. 4974

106 BARBECUE ACCESSORIES

- **CAST-IRON REVERSIBLE PLATES** 
  - Art. no. 7789

Art. no. 7893







**BBQ PROTECTIVE MAT 160 CM** MADE OF SOFT PVC W 80 X L 160 CM ART. NO. 7409





**GRILL BRUSH** WITH STAINLESS STEEL BRISTLES ART. NO. 8814

CE **BARBECUE GLOVES** MADE OF FIREPROOF ARAMID ART. NO. 8785

**GRILL CLEANER** 500 ML ART. NO. 4975

### SWITCH GRID<sup>™</sup> **AN INSERT FOR EVERY USE**



### **DUTCH OVEN**

ART. NO. 7795

- For preparing braised dishes, stews, ribs or even for baking bread Special lid structure for even condensation distribution and succulent
- food
- Insertable stainless steel rib rack
- Additional opening on the lid enables temperature measurement with the lid closed
- Capacity: 5.5 L / weight: 8 kg

### **SEAR GRATE**

- For quick and intense searing
- Creates unique branding on the grilled food
- Solid, enamelled cast iron

### **PIZZA STONE**



ART. NO. 7791

- For easy preparation of crispy pizzas and sweet pastries
- Ceramic pizza stone (Ø 31.5 cm)
- Enamelled cast iron holder



### PAN

ART. NO. 7792

ART. NO. 7793

- · For sautéing potatoes or roasting vegetables
- Extra-high rim (4 cm) for easy turning of the grilled food in the pan
- Solid, enamelled cast iron

### **POULTRY ROASTER**

- For even cooking of poultry and vegetables
- Stainless steel body with robust enamelled cast iron handles
- Poultry holder can be screwed off and on for easy cleaning

### WOK 'N' BROIL

With the SWITCH GRID™ WOK, you'll rock every barbecue evening from now on. When used correctly, the unique wok aroma is released as you create dishes that will blow your mind. The solid enamelled cast iron of the SWITCH GRID WOK always ensures optimum heat distribution. The extremely practical base allows you to use it directly on the grill or other suitable heat sources.



### WOK

- **ADAPTABLE? SWITCH, PLEASE!**

Turn your barbecue into a true all-purpose weapon - meatball-proof. Whether it's hearty braised dishes with the Dutch Oven, intense searing with the Sear Grate, hot baking sessions on the Pizza Stone, crispy meat fun thanks to the Poultry Roaster, fast and healthy cooking from the Wok or delicious side dishes in the Pan - thanks to the SWITCH GRID" you are well-prepared for any and all eventualities. Quick and easy to replace, you can equip the enamelled cast iron grill and removable round element to suit your needs. A full range of barbecue options.



### SWITCH GRID GAS GRILL 2-BURNER ART. NO. 7808 SAN DIEGO 2 / **BROOKLYN NEXT 2**



SWITCH GRID GAS GRILL 4-BURNER CHICAGO NEXT 4 ART. NO. 7794 BOSTON 4 ART NO 7785

108 BARBECUE ACCESSORIES



ART. NO. 7797

· For the unique wok taste sensation on your Enders gas barbecue · Made of solid, enamelled cast iron for effective heat distribution • The practical base enables use directly on the grill grate and

other suitable heat sources

· Two side handles for easy and convenient handling

· Suitable for all Switch Grid grates from Enders (except eFLOW PRO and eFLAVOUR series)

• W 38 x L 35 x H 10 cm / Weight: 4.5 kg



### SWITCH GRID

GAS GRILL 3-BURNER		
MONROE PROX 3	ART. NO. 7784	
BOSTON 3		
CHICAGO NEXT 3	ART. NO. 7756	
SAN DIEGO 3 /		
BROOKLYN NEXT 3	ART. NO. 7809	





### **BOTTLE HOLDER**

- For bottles up to Ø 8.5 cm
- Removable bottle opener
- Strong magnets ensure a secure hold
- Dimensions: B 10.5 x D 10 x H 10.5 cm



ART. NO. 7714

ART. NO. 7711

ART. NO. 7717





### **KITCHEN ROLL HOLDER**

- · Strong magnets ensure a secure hold
- Consisting of two elements
- Dimensions: 2 x W 11 x D 6 x H 8 cm



### **GRILL CUTLERY HOLDER**

 Strong magnets ensure a secure hold · Dimensions: W 30 x D 7.5 x H 3 cm



### **ALWAYS NEAT AND TIDY**

When things get pretty hot at the barbecue, one thing counts above all: keeping an overview of everything that's going on. GRILL MAGS® provide the ideal solution for this. These magnetic holders for cutlery, grill grate, spices, kitchen roll and bottles not only keep things neat and tidy but also impress with their intelligent details. The bottle holder comes with a removable bottle opener and fits seamlessly into the bracket, giving not only stability but also a tidy appearance. GRILL MAGS® literally keep their promise of a barbecue area that is always neat and tidy.













### **ROLL YOUR STORAGE SPACE TO WHERE IT'S NEEDED.**

Our modular trolley makes storage dreams come true. The rolling space-saving miracle provides you with additional storage options. With two strong magnets, you can attach the versatile mobile container to your BBQ. Whether on the left or right, it's entirely up to you. And the four flexible castors mean that you can move it around in the most convenient way possible.. And by the way: maximum convenience also awaits you when it comes to tidiness. Thanks to the unit's subdivision with an additional shelf, you will be able to find things more quickly.



### **MODULAR TROLLEY**

- · Additional storage space for the outdoor kitchen
- · Two strong magnets dock the trolley in place by the grill
- · Can be positioned on the left or right of the grill
- Better organisation thanks to the additional shelf
- · Four flexible swivel castors





MONROE PRO series

Enders



ART. NO. 88186

Ĩ KG

W 34 x D 47 x H 76 cm 11 kg





COLORADO series



### PREMIUM WEATHER PROTECTION COVERS

Today it may rain, hail or snow ... but who cares? It's not the end of the story for your barbecue. Our PREMIUM weather protection covers shield your barbecue buddy from all the elements. Heavy rain, sunlight, blizzards and dirt are no longer a worry. The lightweight fabric made of UV-resistant special fibre is extremely tear-resistant and colourfast. And thanks to the breathable PU coating, it is also really smart: waterproof on the outside and permeable to water vapour on the inside, thereby completely excluding the formation of condensation. Because of these solid features and the ease of handling, you will always be able to cover your barbecue with the PREMIUM weather protection cover quickly!

### **WEATHER PROTECTION COVERS**

	UNIQ PRO 3, KANSAS II PRO 3 + 4,	Art. no. 5696
	MONROE PRO 3 + 4, COLORADO 4,	
	BOSTON BLACK 4 K	
	COLORADO 6 K, BOSTON BLACK 6 K	Art. no. 5697
•	BOSTON BLACK 3 K	Art. no. 5694
•	MONROE PROX 3, COLORADO 3	Art. no. 5693
	CUBIQ PRO 3 R, CHICAGO NEXT 3 + 4	Art. no. 5700
	CUBIQ PRO 3 KR	Art. no. 5692

•	eFLOW PRO, eFLAVOUR,	Art. no. 5691
	BROOKLYN NEXT 2 + 3	
	SAN DIEGO 4	Art. no. 5689
	SAN DIEGO 2 + 3, eCRAVE 2	Art. no. 5690
•	URBAN series with trolley	Art. no. 5699
	URBAN/EXPLORER NEXT series	Art. no. 5681
	PACO series	Art. no. 5687

### GAS BOTTLE COVER Style



GAS BOTTLE COVER STYLE RED 5 KG / 11 KG ART. NO. 5114/5116





**EXCLUSIVE DESIGN** Covers unsightly, dented gas bottles

**SOFT TOP MATERIAL** with drawstring to enclose the gas bottle completely

**DURABLE MATERIALS** water-repellent, fireproof, UV protection



GAS BOTTLE COVER STYLE BLACK 5 KG / 11 KG ART. NO. 5115/5117

## **CHNOLOGY**

Finally, you're sitting together with your friends again. Of course, you are out in the fresh air on the patio or the balcony and, of course, in the best of moods. Who wants to let the weather throw a spanner in the works and sacrifice a beautiful evening to a low-pressure zone or a cold front? Time for the ECO patio heaters from Enders. Why Enders? Easy! Because patio heaters from Enders get more radiant heat out of every kilowatt with intelligent technology. And because Enders delivers the heat where you want it.

### The Enders NOVA® LED fireplaces also feature ECO GREEN technology in addition to a stunning design. The NOVA® LED M with a burning time of 111 hours (8 kg gas bottle) and the NOVA® LED L with 152 hours (11 kg gas bottle) also prove to be real efficiency stars.



### **EFFICIENCY IN EVERY WAY**

But Enders would not be the global pioneer in the development of efficient patio heaters if we left it at that: for example, we have succeeded in reducing gas consumption by up to 83% compared to a conventional 12 kW burner while generating the same amount of heat. That means for you: 83% lower emissions, 83% lower costs and 83%

That means for you: 83% lower emissions, 83% lower costs and 83% more enjoyment of the outdoors.

But see for yourself what's in it for you with our innovative technology solutions!



**83%** savings in CO, emissions and costs\*




50% savings in CO<sub>2</sub> emissions and costs\*



**30%** savings in CO<sub>2</sub> emissions and costs\*

\*compared to conventional 12 kW standard burners



Enders







### MRS. NOVA, NOVA.

Ambience: romantic, flame: fantastic, effect: dramatic – with NOVA<sup>®</sup> we have captured fire in an entirely new way and created something wonderful for your patio. The slim housings surrounding the fireplaces come in black, grey and taupe, together with colour-coordinated glass cylinders and reflectors. The dancing fire in the centre is accompanied by a round, red LED light, while an indirect light shimmers around the base of the column in a high-quality finish. With its modern and aesthetic design, NOVA<sup>®</sup> is truly a stunner to behold. And so compact that it can be set up anywhere.



The Flat

Enders

### **NOVA® LED SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 161



### **BLACK/SILVER M/L**

- ECO burner
- · Mirror reflector with glass cylinder
- · Ambient light in the
- top and bottom
- · 5- and 8 kg /11 kg gas bottle stowable
- 🖶 H 88 x Ø 36 cm/ H 102 x Ø 36 cm () 1 - 2.5 kW / 30 mbar 11.5 kg/ KG 12.5 kg

ART. NO. 560033/560133



### **GREY/BLACK M/L**

- ECO burner
- · Mirror reflector with coloured coordinated glass cylinder
- · Ambient light in the top and bottom
- 5- and 8 kg /11 kg gas bottle stowable

- 🖶 H 88 x Ø 36 cm/ H 102 x Ø 36 cm
- () 1 2.5 kW / 30 mbar
- 11.5 kg/ KG
- 12.5 kg

### NOVA® LED M GREY/BLACK TOP FEATURES

Mirror reflector and flame form a harmonious unit

Fireproof glass cylinder protects the flame from the wind

Convenient change of location thanks to a compact design





INFINITELY ADJUSTABLE ECO-BURNER (2.5 kW) for extra long burn time (44 - 111 hrs, 8 kg gas bottle)

LED AMBIENT LIGHT AT THE TOP Individually controllable



COORDINATED GLASS CYLINDER

5 AND 8 KG GAS BOTTLE STORABLE







MIRROR REFLECTOR WITH COLOUR-



Flame height is continuously adjustable

Optimally protected controls inside the housing

Ignition and anti-tilt device for optimum safety








INDIRECT AMBIENT LIGHT IN THE BASE individually controllable



TABLE SHELF (SET OF 3) available as accessory

### NOVA® LED Product overview





\*included in scope of delivery

\*\*3 C batteries required for operation, not included in the scope of delivery.



### NOVA® LED Accessories



TABLE SHELF SET OF 3 NOVA LED ART. NO. 5608



PREMIUM WEATHER PROTECTION COVER M NOVA LED ART. NO. 5610



PREMIUM WEATHER PROTECTION COVER L NOVA LED ART. NO. 5609





### VULANO

- Ceramic burner with stainless steel spiral
- · 8.5 11 kW stepless power controller
- impressive fire lance shine bright and can be seen from far away
- Pleasant radiant heat thanks to diathermic, fireproof special glass
- Brushed stainless steel housing with door complete with robust clamp lock

### **READY FOR IMMEDIATE USE** 100 % pre-assembled

50 mbar

### VULANO

Article number	5589 (50 mbar)
Stock items	•
stepless power regulation kW	8.5 - 11
Burner	Ceramic
Spiral	Stainless steel
Burning time in hrs. (11-kg gas bottle)	14 - 18
Ignition	Battery*
Ignition fuse	•
Anti-tilt device	•
Housing	Stainless steel
Gas bottle stowable (max.)	11 kg
Base	powder-coated steel
Transport rollers	•
Hose & gas pressure regulator	•
Mounting dimension cm	H 182, Ø 53
ACCESSORIES	
PREMIUM weather protection cover	5679



### ART. NO. 5589



H 182 x Ø 53 cm 💧 8.5 - 11 kW кд 34 kg





### **FEATURES**




**RETRACTABLE** for space-saving stowage and transport



### 11-KG GAS BOTTLE stowable





THERMOELECTRIC IGNITION FUSE AND ANTI-TIP PROTECTION

> 11 KG GAS BOTTLE STOWABLE

> > TRANSPORT ROLLERS



### ELEGANCE

Article number	937622* / 937623**
Stock items	•
stepless power regulation kW	3.5 - 8
Stainless steel burner	ECO PLUS
Burning time in hrs. (11-kg gas bottle)	19 - 43
Ignition	Piezo
Ignition fuse	•
Anti-tilt device	•
Ø reflector cm	76
Column	Stainless steel
Housing	Stainless steel
Gas bottle stowable (max.)	11 kg
Base	powder-coated steel
Transport rollers	•
Hose & gas pressure regulator	• / -
ACCESSORIES	
Premium weather protection cover	5675
Height adjustable table	5062

\* 937622: hose Ø 10 mm (PL, BG, EE, LT, LV, HU, TR, FI, NO, PT, DE, UA) \*\* 937623: hose Ø 8 mm (IS, NL, BE, LU, CZ, SL, SI, HR, RO, IT, GR, GB, SE, IE, CY, FR)

**Enders**<sup>®</sup>

### ART. NO. 937622\* / 937623\*\*

÷	
F	H 218 x Ø 76 cm
۲	3.5 - 8 kW / 30 mbar
KG	11.5 kg
	$\sim$

### FIND HERE HOSE AND REGULATOR KITS PAGE 161





HEIGHT-ADJUSTABLE TABLE as accessory, Ø 37 cm, 5 mm safety glass



### ECO PLUS stainless steel burner

- 3.5 8 kW infinitely variable output
- Practical storage table
- Housing with magnetic polyester casing




**FANCY** 544123\*

**30 % less CO**<sub>2</sub> emissions\* **30 % lower costs**\*

Articel number	544123*
Stock goods	•
stepless power regulation kW	3.5 - 8
Stainless steel burner	ECO PLUS
Burning time in hrs. (11-kg gas bottle)	19 - 43
Ignition	Piezo
Ignition fuse	•
Anti-tilt device	•
Ø reflector cm	76
retractable column	Stainless steel
Storage table	Plastic
Housing	Polyester
Gas bottle stowable (max.)	11 kg
Base	Powder-coated steel
Transport rollers	•
Hose and gas pressure regulator	•/-
ACCESSORIES	
Premium weather protection cover	5683



ART. NO. 544123\*



### FIND HERE HOSE AND REGULATOR KITS PAGE 161



### **FEATURES**



MAGNETIC POLYESTER COVER quick to remove for uncomplicated gas bottle replacement



**RETRACTABLE COLUMN** for space-saving storage and transport

\* than conventional 12 kW standard burners

## ECOLINE PURE

2 BATTERY-LESS ONE-HAND PIEZO IGNITIONS

THERMOELECTRIC IGNITION FUSE AND ANTI-TIP PROTECTION

> 11 KG GAS BOTTLE STOWABLE

> > TRANSPORT ROLLERS



- 2 individually ignitable
   ECO ULTRA burners (2 x 2 kW)
   made from stainless steel
   targeted heat radiation thanks to
- adjustable burner systems
   slim housing with door
- and stable clamping lock





### **ECOLINE PURE**

Article number	5640 (50 mbar)	
Stock items	•	
Power regulation kW	2/4	
2 ECO ULTRA burners	Stainless steel	
Burning time in hrs. (11-kg gas bottle)	38 - 76	
Ignition	Piezo	
Ignition fuse	•	
Anti-tilt device	•	
Reflector	Aluminium	
Frame	Aluminium	
Housing	powder-coated steel	
Gas bottle stowable (max.)	11 kg	
Transport rollers	•	
Hose & gas pressure regulator	•	
Mounting dimension cm	H 213 x W 42 x D 45	
ACCESSORIES		
Premium weather protection cover	5677	

83 % lower CO<sub>2</sub>emissions\* 83 % lower costs\*

\* than with conventional 12 kW standard burners, 66 % less CO<sub>2</sub> emissions and costs when using both burners

**Enders**<sup>®</sup>

### ART. NO. 5640

H 213 x W 42 x D 45 cm 2 / 4 kW kg 27 kg





Play MP4





TARGETED THERMAL RADIATION in 90 degree angle





### POLO® 2.0 / POLO<sup>®</sup> BLACK 2.0

Stainless steel burner 3 - 6 kW infinitely variable power controller ENDUR Reflection system: infrared heat rays are reflected over a wide area and with maximum efficiency heats in a targeted way and without scatter losses, precisely where it is needed optimally protected operating

POLO<sup>®</sup> 2.0 POLO® BLACK 2.0 546033 Articel number 546233 Stock goods • ٠ stepless power 3 - 6 3 - 6 regulation kW Burner Stainless steel Stainless steel ENDUR reflection system • ٠ Burning time in hrs. 25 - 50 25 - 50 (11-kg gas bottle) Ignition Piezo Piezo Ignition fuse • • Anti-tilt device • • Reflector Stainless steel Stainless steel powder-coated Stainless steel Housing steel Gas bottle stowable (max.) 11 kg 11 kg powder-coated powder-coated Base steel steel Transport rollers • • Hose & gas pressure regulator \_ \_ Mounting dimension cm H 115, Ø 42 H 115, Ø 42 ACCESSORIES PREMIUM weather protection 5676 5676 cover

Enders

elements within the housing

ART. NO. 546033/ ART. NO. 546233



H 115, Ø 42 cm 3 - 6 kW / 30 mbar 12.5 kg





### **FEATURES**



**HEIGHT-ADJUSTABLE REFLECTOR** for targeted heat radiation and individually adjustable heat protection



### INTEGRATED TRANSPORT HANDLE



SLIM, STABLE HOUSING made of brushed stainless steel with door and sturdy clamp lock

PATIO HEATERS | GAS 133



THERMOELECTRIC IGNITION SAFETY DEVICE AND ANTI-TIP PROTECTION

SPACE FOR 11 KG GAS BOTTLE

TRANSPORT CASTORS

88 CM REFLECTOR



### ASSEMBLE IN 30 MINUTES delivered partially assembled

with lockable door

SOLID

.

.

Stainless steel burner

### SOLID

Articel number	580023*	
Stock goods	•	
Continuous output adjustment kW	4 - 14	
Burner	Stainless steel	
Burning time hrs. (11 kg gas bottle)	11 - 38	
Ignition	Battery (supplied)	
Ignition safety device	•	
Tip-over protection	•	
Reflector	FAL	
Ø Reflector cm	88	
Retractable column	Stainless steel	
Storage table	Stainless steel	
Housing	Stainless steel	
Storable gas bottle (max.)	11 kg	
Base	Powder-coated cast aluminium	
Transport rollers	•	
Hose / gas pressure regulator	• / -	
Dimensions in cm	H 223, Ø 88	
ACCESSORIES		
PREMIUM weather protection	5683	

**Enders**<sup>®</sup>

ART. NO. 580023

· 4 - 14 kW infinitely variable output Practical storage table Ultra-stable with robust cast

aluminium body parts and base

· Brushed stainless steel casing

H 223, Ø 88 cm ( 4 - 14 kW / 30 mbar с 21.5 kg





### FIND HERE HOSE AND REGULATOR KITS PAGE 161

### **FEATURES**



RETRACTABLE COLUMN for spacesaving storage and transport



CHAIN for additional securing of the door

THERMOELECTRIC

11 KG GAS BOTTLE STOWABLE AND CAN BE PULLED OUT FOR REPLACEMENT

1.11

TRANSPORT ROLLERS



### **COMMERCIAL**

- Stainless steel burner
- 4 14 kW stepless power regulation
- practical storage table
  - Brushed stainless steel housing with lockable door
  - Large brushed stainless steel base for extra stability

### COMMERCIAL

Articel number	5500623	
Stock good	•	
stepless power regulation kW	4 - 14	
Burner	Stainless steel	
Burning time in hrs. (11-kg gas bottle)	11 - 38	
Ignition	Battery (supplied)	
Ignition fuse	•	
Anti-tilt device	•	
Reflector	FAL	
Ø reflector cm	88	
retractable column	Stainless steel	
Storage table	•	
Housing	Stainless steel	
Gas bottle stowable (max.)	11 kg	
Base	Stainless steel	
Transport rollers	•	
Hose & gas pressure regulator	• / -	
ACCESSORIES		
PREMIUM weather protection cover	5678	

**Enders**<sup>®</sup>

А	RT. NO. 5500623
() () () () () () () () () () () () () (	H 223, Ø 88 cm 4 - 14 kW / 30 mba 29 kg

### FIND HERE HOSE AND REGULATOR KITS Page 161

### **FEATURES**



RETRACTABLE COLUMN for space-saving storage and transport.



PULL-OUT GAS BOTTLE SHELF



LOCKABLE DOOR with sturdy clamp lock





CHAIN for additional securing of the door



PREMIUMweather protection covers from Enders provide lasting protection against all the outdoor elements such as rain, sun, snow and dirt. The fabric - made of a UV-resistant special fibre - is permanently tear-resistant and colourfast. The breathable PU coating is not only waterproof but also permeable for water vapour to avoid the formation of condensation.

Enders PREMIUM weather protection covers are lightweight, odourless and impress with their easy handling and well-thought-out details, such as windproof fitting with magnets integrated into the hem.



1111 TEAR RESISTANT



### PATIO HEATER **ACCESSORIES**



ender

PREMIUM WEATHER PROTECTION COVER NOVA LED M ART. NO. 5610



PREMIUM WEATHER PROTECTION COVER VULANO ART. NO. 5679



PREMIUM WEATHER PROTECTION COVER SOLID + FANCY ART. NO. 5683



PREMIUM WEATHER PROTECTION COVER POL0<sup>®</sup> 2.0 ART. NO. 5676

Enders



BREATHABLE





## 

### ELECTRIC HEATERS.

Loom, Moow, Oron and Oxeo. Fantastic names that truly redefine the status quo under a starlit sky: electric patio heaters from Enders. A perfectly coordinated family of models in terms of their design and range of functions, consisting of freestanding, suspended and wall-mounted heaters that complement each other ideally, but also deliver outstanding performance independently of one another. Framed in a modern design, these electric patio heaters stand out above all because of their versatility. Intensity, tilt, height or alignment: the four heaters can be configured individually and thus always guarantee the best possible heat radiation. Thanks to Plug & Heat and wind-resistant infrared technology, this is available almost instantly. Simply heavenly.







### LOOM

- 2 power settings possible: 1,000 W and 2,000 W
- Incl. remote control
- Incl. height-adjustable Suspension device made of wire with screw carabiner

Article number	
Stock items	
Total output kW	
Heating element	
Material	pow
Protection class	
Remote control	
incl. battery	
Mounting dimension	Н1
cm	






- MOOW
- 2 power settings possible: 450 W and 900 W
- plug type F
- With transport handle With tilt protection



Remote control Mounting dimension cm (vertical) Mounting dimension cm (horizontal)



**Enders**<sup>®</sup>







wonderfully safe infrared radiant heat




Height-adjustable

ART. NO. 49246

Ŧ	
ŀ	H 75 x Ø 30 cm
۲	0.9 kW
KG	2.5 kg
₩	1.55 m







Switchable oscillation function (approx. 60°)



Horizontal and vertical alignment possible



# ORON

plug type F

- telescopic • 2 power settings possible: 1,000 W and 2,000 W
- incl. anti-tilt device

ART. NO. 49076			
Ŧ	H 226, Ø 55 cm		
۲	2 kW		
KG	14.5 kg		
Ŵ	1.3 m		

	ORON
Article number	49076
Stock items	•
Total output kW	2
Heating element	Halogen
Material	Stainless steel, aluminium, plastic
Protection class	IP 44
Remote control	-
Mounting dimension cm	H 226, Ø 55



wonderfully safe infrared radiant heat



Height adjustable by means of locking sleeve (min. height 1.90 -2.26 m)



# OXEO BLACK / WHITE

- 3 power settings possible: 700 W, 1,300 W and 2,000 W
- with remote control and • Wall mount
- Adjustable tilt angle

Article number	492
Colour	bla
Stock items	
Total output kW	
Heating element	
Material	powd
Protection class	
Remote control incl. battery	
Mounting dimension cm	H 10.5










H 10.5 x W 72.5 x D 20 cm 2 kW
2 kg ₩ 1.5 m

ART NO. 49276/49286

### OXEO





3 power settings possible

# 

A Plank

# **EVERYWHERE. WHEREVER YOU BARBECUE.**

To make sure you don't end up missing your BBQ too badly or wind up feeling hungry for a succulent barbecue feast when you're on the road: the EXPLORER NEXT PRO is at your side. This barbecue is a spirited adventurer that scores top marks with its compact design and heaps of useful features: extremely sturdy leg construction, a stainless steel grate, cast aluminium barbecue hood and a useful storage surface. With the EXPLORER NEXT PRO, you're guaranteed more fun when camping or on your trip to the lake. And in addition to its mobility, this "Bear Grylls" of the BBQ world also knows how to deliver a top performance in terms of flexibility: The grill grates that sit above the practical gas cookers can be removed individually – making sure that sausages and omelettes don't get in each other's way. Good to know: all EXPLORER NEXT models are also available as a caravan version. They can be connected directly to your caravan or motorhome – leaving all the more time for you to explore.



# **EXPLORER SERIES**

FIND HERE HOSE AND REGULATOR KITS PAGE 161

# **EXPLORER NEXT PRO TOP FEATURES**

Robust housing made of durable and lightweight cast aluminium

2 removable fat collection trays for easy and quick cleaning





STAINLESS STEEL GRATE with integrated CHROME-PLATED, REMOVABLE PAN GRATES for safe cooking and easy cleaning



Can be used as A TABLE OR STANDING APPLIANCE

# NEXT

- · 2 stainless steel burners
- · Stainless steel grate
- · Chrome-plated pot grates
- · Powder-coated steel lid
- W 48 x D 32 cm • 4.4 kW / 30 mbar кс 10 kg

₩ 59 x D 47 x H 76 cm

ART. NO. 210333



# **NEXT PRO**

- · 2 stainless steel burners
- · Stainless steel grate
- · Chrome-plated pot grates
- · Lid made of powder-coated cast aluminium
- · Stable storage tray

- ART. NO. 210233
- ∰ W 59 x D 47 x H 80 cm
- W 48 x D 32 cm • 4.4 kW / 30 mbar
- кс 11 kg





flame covers





EASY TO TRANSPORT (bag available as accessory)





Large volume barbecue hood made of sturdy cast aluminium, optimised for low-temperature cooking

> 2 stainless steel burners for powerful direct and indirect grilling, cooking and baking

> > Sturdy shelf, quick to assemble







**3 DIFFERENT COOKING FUNCTIONS:** Grilling, cooking and baking (pizza stone available as accessory)



**OPERATION** with gas bottle or screw-in cartridge

# EXPLORER NEXT PRODUCT OVERVIEW

EXPLORER	NEXT	NEXT PRO
Articel number	210333	210233
Stock goods	•	•
Total output in kW	4.4	4.4
Stainless steel burners x kW	2 x 2.2	2 x 2.2
Lid	Powder-coated steel	Powder-coated cast aluminium
Thermometer	•	•
Housing	Powder-coated cast aluminium	Powder-coated cast aluminium
Ignition	Piezo	Piezo
Grill surface cm / cm²	48 x 32 / 1,536	48 x 32 / 1,536
Grill grate	Stainless steel / two sections	Stainless steel / two sections
Chrome-plated, removable pot grates	•	•
Removable fat trays	2	2
Storage tray	-	•
Operation	Gas bottle & threaded cartridge	Gas bottle & threaded cartridge
Hose and gas pressure regulator	-	_
Working height of standing barbecue in cm	66	66
Working height of tabletop barbecue in cm	23	23
Dimensions of standing barbecue in cm	W 59 x D 47 x H 76	W 59 x D 47 x H 80
Dimensions of tabletop barbecue in cm	W 48 x D 42 x H 34	W 48 x D 42 x H 38



# EXPLORER NEXT ACCESSORIES





BAG ART. NO. 2101



### CARTRIDGE HOLDER SET ART. NO. 2082 (30 MBAR / Ø 8MM NOZZLE) ART. NO. 2083 (30 MBAR / Ø 10MM NOZZLE)





CAST-IRON REVERSIBLE PLATE 1/2 ART. NO. 2075



PIZZA STONE INCL. HOLDER ART. NO. 8602







PREMIUM WEATHER COVER ART. NO. 5681



SCREW-IN CARTRIDGE 450 G ART. NO. 6322



GAS BOTTLE COVER STYLE 11 KG RED/BLACK ART. NO. 5116/5117

# VAMO A LA CAMP SITE

How versatile! With the VAMO<sup>™</sup>, you can enjoy your favourite oven recipes under the open skies. As an extremely practical attachment for the barbecue, stove or hotplate, you can use it flexibly while camping and enjoy heat from above and below far away from civilisation. The easy-clean ceramic coating prevents food from sticking, while the integrated thermometer always shows the precise temperature. Whether it's crisp bread, fresh rolls, light cakes or tasty casseroles – the VAMO<sup>™</sup> is perfect for any dish that requires cooking in an oven.

# **PRODUCT OVERVIEW**



# **VAMO**<sup>™</sup>

ART. NO. 6866

- Versatile mobile oven for baking and roasting with top and bottom heat
- Perfect for fresh bread, casseroles and cakes when camping
- Ceramic coating prevents food from sticking
- Compatible with stoves, grills and hotplates
   (except induction)
- Large capacity of approx. 2.3 litres
- Integrated thermometer for precise temperature control
- Includes baking rack





4-piece set

LFGB-certified ceramic coating

# VAMO<sup>™</sup> Accessories



SILICONE MOULD SET, 6-PIECE ART. NO. 6867

CE

Enders





VAMO	)™
------	----

Article number	6866
Stock item	•
Pot	Aluminium with ceramic coating
Cover	heat-resistant coated aluminium
Tray	Stainless steel
Assembled dimensions cm	W 25 x D 25 x H 16.5
Capacity	2.3 L
Weight	700 g
ACCESSORIES	
Silicone mould set	6867
Mat	6869

IDEAL FOR CAMPING STOVES Dalgety, Brisbane, Maveriq® Or Camping Grill Explorer Next



COASTER ART. NO. 6869

# 

# SAFE HEAT

With the MAVERIQ® cartridge stove, you can enjoy extreme performance and high safety in a mobile device – safe heat. Thanks to a continuously adjustable burner with pan grate and a high-quality stainless steel surface, you don't have to accept any compromises in terms of performance when you are off the beaten track. Clever safety features such as piezo ignition, overpressure shut-off and overheating protection also provide you with a wor-ry-free cooking experience. Packed safely in an impact-resistant plastic case, the MAVERIQ® is ready and waiting for your next outdoor adventure.

# **PRODUCT OVERVIEW**



# **MAVERIQ**<sup>®</sup>

- · Cast aluminium burner
- · Overheating protection
- · Overpressure safety shut-off

ě W 34 x D 28 x H 12 cm 6 2.2 kW кс 1.6 kg

ART. NO. 1886



Including carrying case made of impact-resistant plastic



Safe insertion of valve cartridge

E	N	Ĩ	

	<b>MAVERIQ</b> <sup>®</sup>	MAVERIQ <sup>®</sup> Z*
Article number	1886	1887
Stock item	•	•
Burner capacity kW	2.2	2.2
Burner	Cast aluminium	Cast aluminium
Operation	Valve cartridge	Valve cartridge
Burn time per car- tridge at full power	85 minutes	85 minutes
Ignition	Piezo	Piezo
Ignition failsafe	-	•
Overheating protection Overpressure safety	•	•
shut-off	24	
Maximum Ø pan	26 cm	26 cm
Pan grate & housing	Stainless steel	Stainless steel
Carrying case	Plastic	Plastic
Assembled dimensions cm	W 34 x D 28 x H 12	W 34 x D 28 x H 12
Case dimension cm	W 35 x D 32 x H 13	W 35 x D 32 x H 13
Hose and gas pressure regulator	-	_
ACCESSORIES		
Valve cartridge	1881	1881

### \*Z = ignition failsafe

# CANBERRA · 2 stainless steel burners · Robust, chrome-plated and

- removable pan grate
- Removable cover and smooth surfaces for easy cleaning
- W 43 x D 26 x H 10 cm

ART. NO. 179033

- ۲ 4.6 kW кс 2.3 kg

¥

- · Rubber feet for more stability







CE



**OUTBACK CUISINE** 

housing, while rubber feet make it extremely stable.






The CANBERRA camping stove impresses with its powerful, adjustable burners which will allow you to enjoy an impressive culinary experience even in the deepest outback. The very sturdy, chrome-plated pan grate ensures safe cooking with very easy handling. The CANBERRA is not only compact and therefore easy to transport, but is also easy to clean thanks to its smooth surfaces. Plastic corners on the cover protect the powder-coated steel

### CANBERRA

Article number	179033
Stock item	-
Burner capacity kW	2 x 2.3
Burner	Stainless steel
Operation	Gas bottle or
	threaded cartridge
Ignition	manual
Maximum Ø pan	20 cm
Pan grate	Chrome-plated steel
Cover & housing	Powder-coated steel
Assembled	W 43 x D 26 x H 10
dimensions cm	





Outdoor fans get ready – and look forward to the fun to come! The popular DALGETY camping stove is now also available in a stylish, modern black matt finish. As far as the inner workings are concerned, the DALGETY BLACK continues to impress with a choice of two or three continuously adjustable power burners and a large grate diameter. High-quality and robust materials, a removable cover and smooth surfaces allow for quick cleaning – even in the middle of nowhere. The DALGETY BLACK comes with an 80 cm connection hose, practical rubber feet for real stability and an optional ignition safety device. As an adventurer, what more could you wish for?

# **PRODUCT OVERVIEW**





DALGETY BLACK 3

# **DALGETY BLACK**

ART. NO. 185533 / 185633 / 185733

DALGETY BLACK 2

### · 2/3 Stainless steel burners

- · Robust, chrome-plated and removable pan grate
- · Removable cover and smooth surfaces for easy cleaning
- · Rubber feet for more stability

DALGETY BLACK	2	2 Z*	3
Article number	185533	185633	185733
Stock item	•	_	-
Burner capacity kW	2 x 2.3	2 x 2.3	3 x 2.3
Burner	Stainless steel	Stainless steel	Stainless steel
Operation	Gas bottle or threaded cartridge	Gas bottle or threaded cartridge	Gas bottle or threaded cartridge
Ignition	manual	manual	manual
Ignition failsafe	-	•	-
Maximum Ø pan	20 cm	20 cm	20 cm
Pan grate	Chrome-plated steel	Chrome-plated steel	Chrome-plated steel
Cover & housing	Powder-coated steel	Powder-coated steel	Powder-coated steel
Hose and gas pressure regulator	-	-	-
Assembled dimensions cm	W 49 x D 32 x H 9	W 49 x D 32 x H 9	W 59 x D 32 x H 9
Weight	3.6 kg	3.7 kg	4.2 kg

# **PRODUCT OVERVIEW**





# BRISBANE

- · 2/3 stainless steel burners
- Robust, chrome-plated and removable pan grate
- · Removable cover and smooth surfaces for easy cleaning
- Integrated ignition failsafe
- · Level adjustment with the feet

CE

BRISBANE	2 Z*	:
Article number	186033	18
Stock item	-	
Burner capacity kW	2 x 2.3	3
Burner	Stainless steel	Stain
Operation	Gas bottle or threaded cartridge	Gas bottle or
Ignition	Manual	M
Ignition failsafe	•	
Maximum Ø pan	20 cm	2
Pan grate	Chrome-plated steel	Chrome
Cover & housing	Stainless steel	Stain
Hose and gas pressure regulator	-	
Assembled dimensions cm	W 49 x D 32 x H 9	W 59 x
Weight	4 kg	4



\*Z = ignition failsafe





ing on preference, they impress with the highest quality workmanship, designed for robustness, sophisticated functions and aesthetic design. Both the burner cover and the housing are made of high-quality, extremely durable stainless steel. Height-adjustable feet, an integrated ignition safety device and a removable, large-format pan grate ensure maximum convenience, even away from civilisation – nothing short of outstanding.



ART. NO. 186033 / 186133



Durable stainless steel burners



Height-adjustable feet

3 Z\*

86133

3 x 2.3

nless steel

threaded cartridge

Manual

20 cm

e-plated steel

nless steel

\_

x D 32 x H 9

4.8 kg

\*Z = ignition failsafe


# OLYMP

### **A COMPANION FOR YOUR ODYSSEY**

The OLYMP camping stove is the ideal companion for anyone who does not want to miss out on heavenly cuisine when they are on the move. Its impact-resistant plastic housing will protect it even on the wildest odyssey. Despite its compact size and light weight, the OLYMP impresses as a high-performance stove with which you can heat up or cook your favourite meals.



- · Stainless steel burner
- · Chromed-plated pan grate
- · Lightweight and easy to stow



### OLYMP

OLYMP	
Article number	6510
Stock item	•
Burner capacity kW	1.4
Burner	Stainless steel
Operation	Puncture cartridge
Burn time per cartridge at full power	112 minutes
Ignition	Manual
Maximum Ø pan	17 cm
Pan grate	Chrome-plated steel
Housing	Plastic
Assembled dimensions cm	H 21.5, Ø 13.5
ACCESSORIES	
Puncture cartridge 190 g	6320



# **TREKKING SET**

### 3-piece set, consisting of:

- · Camping light SHINE LED
- · Gas stove OLYMP
- Puncture cartridge 190 g



# **OLYMP SET**

3-piece set, consisting of:

- · Gas stove OLYMP
- · Set of 2 puncture cartridges 190 g



# ART. NO. 6431

кс 1.2 kg



# PUNCTURE CARTRIDGE 190 g

ART. NO. 6320

- · Ideal for gas stove OLYMP (Art. no. 6510)
- · With internal leakage limiter: if the cartridge and appliance become separated unintentionally, this system keeps most of the gas back in the cartridge
- Butane
- · Complies with standard EN 417:2012






- · Ideal for gas stove MAVERIQ<sup>®</sup> (Art. no. 1886) Butane
- · Complies with standard EN 417:2012



ART. NO. 6531







# THREADED CARTRIDGE

ART. NO. 6322

- · Ideal for mobile use with the URBAN and EXPLORER NEXT series
- Butane/propane mixture in the ratio 70/30
- Complies with standard EN 417:2012
- Screw thread: 7/16"



ALSO AVAILABLE AS A SET OF 4 ART. NO. 1882



# **GAS APPLIANCES A**



# **PRODUCT OVERVIEW**

HOSE AND REGULATOR KITS for Gas BBQs, Pizza Oven and Camping stoves										
		REGULATOR		HOSE						
Art-No.	Countries	Output pressure	Flow	Length	Inner Ø	Hose ends	Winterproof			
1201	SI, SK, CZ, RO, HR, LV, LI	29 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C			
1202	HU	29 mbar	1.5 kg/h	80 cm	10 mm	Both sides open with clamp	up to -20°C			
1203	PL	37 mbar	1.5 kg/h	80 cm	10 mm	Both sides open with clamp	up to -20°C			
1204	SE	29 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C			
1205	СН	30 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C			
1206	ES, DK, PT, NO, FI, BG,CY	29 mbar	1.5 kg/h	80 cm	10 mm	Both sides open with clamp	up to -20°C			
1208	FR	37 mbar	1.5 kg/h	75 cm	8 mm	Both sides G 1/2" RH	up to -20°C			
1210	IT, GR	29 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C			
1211	NL	29 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C			
1212	BE, LU	37 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C			
1213	GB	37 mbar	1.5 kg/h	80 cm	8 mm	Both sides open with clamp	up to -20°C			

### HOSE AND REGULATOR KITS for Nova® LED and Polo® 2.0

		REGULATOR		HOSE			
Art-No.	Countries	Output pressure	Flow	Length	Inner Ø	Hose ends	Winterproof
1207	PL	37 mbar	1.5 kg/h	40 cm	10 mm	Both sides open with clamp	up to -20°C
1220	SI, SK, CZ, RO, HR, LV, LI	29 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1221	HU	29 mbar	1.5 kg/h	40 cm	10 mm	Both sides open with clamp	up to -20°C
1222	SE	29 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1223	СН	30 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1224	ES, DK, PT, NO, FI, CY, BG	29 mbar	1.5 kg/h	40 cm	10 mm	Both sides open with clamp	up to -20°C
1225	FR	37 mbar	1.5 kg/h	50 cm	8 mm	Both sides G 1/2" RH	up to -20°C
1227	IT, GR	29 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1228	NL	29 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1229	BE, LU	37 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C
1230	GB	37 mbar	1.5 kg/h	40 cm	8 mm	Both sides open with clamp	up to -20°C

### **REGULATOR** for Elegance, Fancy, Solid and Commercial

	<b>v</b> · <b>v</b>		
Art-No.	Countries	Output pressure	Flow
1101	SE	29 mbar	1.5 kg/h
1104	IR, PT, CY	29 mbar	1.5 kg/h
1105	NO, FI	29 mbar	1.5 kg/h
1111	GB	37 mbar	1.5 kg/h
1112	ES, DK, PT, CY, BG	29 mbar	1.5 kg/h
1121	IT, GR	29 mbar	1.5 kg/h
1123	NL	29 mbar	1.5 kg/h
1124	BE, LU	37 mbar	1.5 kg/h
1126	PL	37 mbar	1.5 kg/h
1127	SI, SK, CZ, RO, HR, LV, LI	29 mbar	1.5 kg/h
1128	HU	29 mbar	1.5 kg/h

**Enders**<sup>®</sup>



### HOSE AND CARTRIDGE REGULATOR KITS FOR CAMPING STOVES ART.-NR. 1236\* / 1237\*\*

- For operating threaded cartridge
- · Output pressure: 30 mbar
- Hose length: 80 cm
- · Both hose sides ends open with clamp

\* 1236: hose Ø 10 mm (PL, BG, EE, LT, LV, HU, TR, FI, NO, PT, DE, UA) \*\* 1237: hose Ø 8 mm (IS, NL, BE, LU, CZ, SL, SI, HR, RO, IT, GR, GB, SE, IE, CY, FR)





# CULINA

- · Pan set made of stainless steel
- Pan 1: Ø 18 cm, H 9 cm (approx. 1.5 L) & lid
- Pan 2: Ø 16 cm, H 8 cm (approx. 1 L) & lid
- Frying pan: Ø 17.5 cm, H 4 cm
- Including nylon carrying bag
- Weight: 1 kg



Practical bag for transport and storage




# SHINE LED

ART. NO. 6832

Stackable to save space

- · Housing made of robust and impact-resistant plastic
- for long-lasting use 24 white LEDs ensure a
- high degree of illumination Folding bracket can be used as a carry handle
- Including hook for easy hanging
- (4 x C batteries not included)
- · Dimensions: 20 x Ø 9.5 cm





- · Battery-powered
- Weight: 350 g



# WATER CANISTER

- · Water container with drain valve and outlet pipe
- · Integrated ventilation in drain valve and outlet pipe
- Outlet pipe is stored inside
- the container to protect against contamination and loss
- Food-safe
- · Easy to carry with sturdy handle



# **SOLAR SHOWER**

- Volume: 20 L · Adjustable flow
- Sturdy fabric for long
- service life • For the camping site or
- garden



# ART. NO. 7452/7453

- · Sturdy and impact-resistant
- · Cap has fastening strap to prevent loss
- · Large base for high stability
- · Stackable to save space
- 10 L container:
- W 35.5 x D 16.5 x H 36.5 cm Weight: 610 g
- · 20 L container:
- W 39 x D 19 x H 50.5 cm Weight: 1 kg

ART. NO. 6487

Enders

### ART. NO. 7497

- The solar radiation heats the water
- 2 m line to attach in place
- Weight: 310 g



# FOLDABLE Water Canister

- · Volume: 15 L
- With drain cock
- · Sturdy carrying handle

- ART. NO. 7599
- Food safe
- Weight: 270 g

### THAT "AT HOME" FEELING WHEN TRAVELLING

-

\_

Most people who like to travel share the unspoken wish that they would prefer their home toilet to any other. Camping toilets from Enders are built in such a way that you can now take that feeling of comfort with you wherever you go. A comfortable seat height corresponds to the height of the fixed toilets that you're familiar with at home. The smooth surface is just as easy to keep clean as it is to handle, and all without tools: the toilet lid and seat are easy to remove and the extra-large flushing water tank can be refilled quickly. It's going to be a good trip!



# **SUPREME**

- · Comfortable seat height of 44 cm – just like at home
- Integrated toilet paper holder
- · Toilet lid and seat can be removed without tools for easy cleaning and quick, uncomplicated filling of the flush water tank
- Piston pump flushing
- · Quick separation of flush and wastewater tank
- 1 ergonomic carrying handle each for flush and wastewater tank

### ART. NO. 4999

- · Transport roller for easy transport when the tank is full
- Fill level indicator for the wastewater tank
- · Swivelling pipe for hassle-free emptying of the wastewater tank
- · With ventilation button
- Very smooth and hygienic surface




Removal of cover and seat without tools





Comfortable toilet seat





Swivel discharge pipe



Ventilation button





# COMFORT

- · Seat height: 32 cm
- · Piston pump flushing
- · Quick separation of flush and wastewater tank
- Ergonomic carrying handle for the wastewater tank

MOBILE TOILETS	SUPREME	DELUXE	COMFORT		
Article number	4999	4950	49429		
Flushing water tank	21 L	15 L	15 L		
Wastewater tank	22 L	17 L	14 L		
Load capacity	130 kg	130 kg	130 kg		
Weight	4.7 kg	3.7 kg	3.4 kg		
Seat height	44 cm	35 cm	32 cm		
Dimension (W x D x H)	38 x 44.5 x 44 cm	38 x 44.5 x 36.5 cm	38 x 44.5 x 33.5 cm		



- · Piston pump flushing
- · Quick separation of flush and wastewater tank

Enders

- · Ergonomic carrying handle for the wastewater tank
- · Transport roller for easy transport when the tank is full

Enders



### ART. NO. 4950

- · Fill level indicator for the wastewater tank
- Swivelling pipe for hassle-free emptying of the wastewater tank
- · With ventilation button
- · Very smooth and hygienic surface



- · Level indicator on the trans parent screw cap of the wastewater tank
- Very smooth and hygienic surface



### QUINTISSENTIAL WC HYGIENE.

The microbiological sanitation additives **ENSAN** BLUE+ and **ENSAN** RINSE+ effectively clean your mobile toilet system ecologically and sustainably. Our environmentally friendly and high-performance alternatives to conventional additives make use of natural recycling and are well-thought-out: microorganisms reliably rid your camping toilet of unpleasant odours, keep it clean and efficiently decompose faeces and toilet paper. In addition, our additives are biodegradable, non-hazardous and compatible with sewage treatment plants – that's why **ENSAN** BLUE+ has been awarded the **Blauer Engel Environmental Label**. What's more, **ENSAN** BLUE+ is twice as efficient as conventional additives for wastewater tanks.

# **PRODUCT OVERVIEW**



# ENSAN BLUE 1L/2,5 L ART. NO. 497698/497798

FOR THE WASTE WATER TANK

- Powerful with microorganisms
- Awarded the BLAUER ENGEL
   Environmental Label
- Easily bio-degradable
  Non-hazardous and
- compatible with sewage treatment plants
- Facilitates the breakdown of organic waste and the decomposition of toilet paper
- ENSAN BLUE<sup>+</sup> is twice as efficient as conventional additives for wastewater tanks.

- Keeps the wastewater tank hygienically clean
- Gives the air a pleasant aroma
- For approx. 200 L of wastewater per 1 L sanitary liquid
  - For approx. 500 L of waste per 2.5 L sanitary liquid



MICROBIOLOGICAL SANITARY ADDITIVES

# ENSAN RINSE<sup>C0</sup>1L

FOR THE RINSING WATER TANK

- Powerful with microorganisms
- · Easily bio-degradable
- Non-hazardous and compatible with sewage treatment plants
- Cleans the bowl and slide valve when flushing
- Removes plaque, prevents limescale build-up and keeps the toilet hygienically clean
- Flushing water stays clean and fresh at temperatures up to 40 °C

ART. NO. 497898

- Gives the air a pleasant aroma
- For approx. 200 L of flushing water per 1 L sanitary liquid

**PRODUCT OVERVIEW** 



# ENSAN BLUE 2,5 L/5 L ART. NO. 501798/501898

Facilitates the breakdown of organic waste and the decomposition of toilet paper

of gas

For approx. 250 L waste water per 2.5 L sanitary liquid

For approx. 500 L of waste

- Prevents unpleasant odours and reduces the formation
  - water per 5 L sanitary liquid



# ENSAN RINSE 1 L

- Cleans the bowl and slide
- valve with every flush

  Removes water scale,
- prevents limescale build-up · and ensures the smooth functioning of the stop valve ·

Protects all rubber seals and keeps the toilet hygienically clean Pleasant and long-lasting citrus scent For approx. 150 L of flushing water per 1 L sanitary liquid

ART. NO. 498498



- ART. NO. 5013
- FOR THE WASTEWATER TANK
   Tablet form for easy,
- safe and accurate dosing
  Facilitates the breakdown of

Prevents unpleasant

- organic waste and the decom a position of toilet paper (sp
- odours and reduces the formation of gas
  Essential oils provide a pleasant fragrance (spruce)
  15 tablets per tin

www.blauer-engel.de/uz84a

Enders

### **CONVENTIONAL** SANITARY ADDITIVES



# **ENSAN GREEN** 1L

FOR THE WASTEWATER TANK

- Facilitates the breakdown of organic waste and the decomposition of toilet paper
- Prevents the formation of unpleasant odours

ART. NO. 498098

For approx. 130 L of waste water per 1 L sanitary liquid



# SANITARY SET 1L EACH

FOR THE FLUSHING WATER AND WASTEWATER TANK

- Sanitary concentrate set for the flushing water and wastewater tanks
- Set consists of: Ensan Green 1 L for the wastewater tank Ensan Rinse 1 L for the flushing water tank

ART. NO. 49808098



# ENSAN WHITE

- Special easily soluble toilet paper
- · 4 rolls per bag, 2-ply

- · Extremely soft and strong
- 250 sheets per roll
- 9 x 11.5 cm

be identified from the outside.



# **PRODUCT OVERVIEW**



VANCOUVER	S	М	L		
Article number	1352	1351	1350		
Volume L	123	170	236		
Weight kg	6.5	8.1	9.2		
Material thickness mm	1	1	1		
External dimensions cm	W 66 x D 44.5 x H 51	W 79 x D 58.5 x H 44	W 79 x D 58.5 x H 60		
Internal dimensions cm	W 63 x D 41 x H 48	W 76 x D 55 x H 41	W 76 x D 55 x H 57		

# **TOP FEATURES**

Stainless steel hinges and plastic-sheathed spring drop handles for hassle-free transport

# **FEATURES**



CAMPING 2024

**ROBUST STACKING CORNERS** made of cast aluminium

STAINLESS STEEL HANGING TAG to identify the contents of the box



STURDY LEVER CLAMP FASTENERS made of stainless steel



lid, edge and base

Enders



Circumferential rubber profile Ensures dust and splash water protection

Sturdy industrial pro-box made of 1 mm thick aluminium





2 BEADS for extra stability and strength



HIGH STABILITY thanks to full profiles on



2 STURDY LID STRAPS hold the lid in position

The aluminium boxes in the TORONTO series have a lot to offer in terms of size and ication options, both in and out of the box – above all, their quality. Thanks to dimensional stability and solid workmanship, there is hardly anything for which a TORONTO container is not the perfect transport box. Are you sure it's up to it? Yup, it is! With the attached hanging tag, it can also be labelled in an instant and the contents identified from the outside. Practical, unbreakable plastic handles ensure hassle-free transport - hands on! The boxes are easy to stack and are sure to win you over with their chic, elegant design. Transport castors and locks round off the features.

# **PRODUCT OVERVIEW**



# **SETS**





SET 1, ART. NO. 3903





XXI

SET 2, ART. NO. 3902 SET 3, ART. NO. 3915

TORONTO	ORONTO S		L	XL	XXL	
Article number	3888	3890	3893	3900	3910	
Volume L	29	47	63	80	130	
Weight kg	3	3.6	4.2	5	6.6	
Material thickness mm	0.8	1	1	1	1	
External dimensions cm	W 46 x D 32 x H 26	W 58.5 x D 38.5 x H 26.5	W 57 x D 38 x H 36	W 69 x D 45.5 x H 32	W 80 x D 54 x H 36.5	
Internal dimensions cm	W 43 x D 29.5 x H 23	W 56 x D 36 x H 23	W 54 x D 35 x H 32.5	W 67 x D 43 x H 28.5	W 77.5 x D 51 x H 33	

# **TOP FEATURES**

Extremely stable frame construction for particularly high dimensional stability

Foam rubber seal in the lid protects against dust and splash water

2 lateral safety grips for ergonomic handling and good resilience



# FEATURES





STACKABLE

STAINLESS STEEL HANGING TAG to identify the contents of the box

# ACCESSORIES



**TRANSPORT CASTOR SET** 4 swivel castors with brakes Art. no. 3585



KEY LOCK SET I 2 built-in locks with 2 keys (each set keyed alike) Art. no. 3750



Self-retaining lid

Front handle made of plastic, additional use as carry handle

Sealable lever clamp locks





STACKABLE because of margins on the cover frame



KEY LOCK SET II 2 built-in locks with 2 keys (always keyed alike) Art. no. 3751

# **POS RANGE SHOP-IN-SHOP SYSTEMS**

Modular shop-in-shop system with a variety of presentation options, consisting of multi-function tower, partition walls with highlight function and floor covering.





Consisting of a partition wall and an accessory tower

ART. NO. 4934130





Consisting of two partition walls and an accessory tower



Consisting of two partition walls and an accessory tower





Consisting of three partitions and two accessory towers


Enders

ART. NO. 4934230


# **POS RANGE** TOOLS



**BBQ ELLIPSES** Dimensions: W 65 x 190 cm



ART. NO. 5040







### **BEACH FLAG** Dimensions: W 60 x H 214 cm

ART. NO. 5039



NOVA® COLUMN Dimensions: W 43 x H 190 cm



ART. NO. 9903

Dimensions: W 28 x H 55 cm





### ACCESSORIES DISPLAY ART. NO. 4930/49302 Dimensions: W 60 x H 223 cm

Enders



# **ACCESSORIES DISPLAY**

ART. NO. 9916

Dimensions: W 60.5 x H 166 cm



# **E-HEATER DISPLAY**

Dimensions: 1x W 80 x H 210 cm, 1x W 80 x H 160 cm

PRODUCT DVERVIEW gas barbecues	UNIQ® PRO 3 I CRUSTER®	UNIQ® PRO 3 IK CRUSTER®	UNIQ® PRO 3 IK KITCHEN CRUSTER®	UNIQ® PRO 3 IKO KITCHEN CRUSTER®	KANSAS II PRO 3 SIK TURBO	KANSAS II PRO 4 SIK PROFI TURBO	MONROE PROX 3 S TURBO	MONROE BLACK PRO 3 K TURBO	MONROE PRO 3 SIK TURBO	MONROE PRO 3 SIK TURBO SHADOW
Article number	860733	860933	860833	860633	871333	871433	837433	837133	837633	838133
Stock item	-	-	•	•	•	•	•	•	•	•
Total output kW	19.7	24.9	24.9	24.9	18.6	22.3	11.2	14.1	17.6	17.6
Stainless steel burners	3	3	3	3	3	4	3	3	3	3
Cooker	-	-	-	-	•	•	-	•	•	•
Dual side cooker	-	•	•	•	-	-	-	-	-	-
Infrared back burner	-	-	-	-	•	•	-	-	•	•
800 °C TURBO ZONE™	•	•	•	•	٠	•	٠	•	٠	٠
CRUSTER®	•	•	•	•	-	-	-	-	-	-
HEAT RANGE™	•	•	•	•	•	•	•	•	•	•
SIMPLE CLEAN™	•	•	•	•	•	•	•	•	•	•
SWITCH GRID™	•	•	•	•	•	•	-	•	•	•
Delicater™ oven	-	-	-	•	-	-	-	-	-	-
Double-walled lid	•	•	•	•	•	•	•	•	•	•
Viewing window	-	-	-	-	•	•	•	-	•	•
Thermometer	•	•	•	•	•	•	•	•	•	•
Piezo ignition	•	•	•	•	•	•	•	•	•	•
Grill area cm²	3,366	3,366	3,366	3,366	2,700	3,150	2,666	2,666	2,666	2,666
Enamelled cast iron grate	•	•	•	•	٠	•	-	•	٠	٠
Stainless steel grate	-	-	-	-	-	-	•	-	-	-
Warming grate	•	•	•	•	•	•	•	•	•	•
Removable fat collection drawers	2	2	2	2	2	2	1	1	1	1
Integrated bottle opener	-	-	-	-	•	•	-	-	-	-
Fixed side shelves	2	2	2	2	2	2	-	2	2	2
Folding side shelves	-	-	-	-	-	-	2	-	-	-
Removable side shelves	_	-	-	-	-	-	-	-	-	-
Storage plate	-	-	-	-	-	-	-	-	-	-
Sink	-	-	-	-	-	•	-	-	-	-
Storable gas bottle (max.)	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg
Optional cartridge operation	-	-	-	-	-	-	-	-	-	-
Tilting compartment	-	-	-	-	-	-	-	-	-	-
Double-walled doors	•	•	•	•	•	•	•	•	•	•
Outdoor wheels	-	-	-	-	-	-	-	-	-	-
Swivel castors / lockable	4/2	4/2	8 / 4	8 / 4	4/2	8 / 4	4 / 4	4/4	4 / 4	4/4
Hose & gas pressure regulator	-	-	-	-	-	-	-	-	-	-
Working height cm	93	93	93	93	89	89	90	90	90	90
Catalogue page	14	14	14	14	20	20	26	26	26	27

MONROE BLACK PRO 41K TURBO	MONROE PRO 4 SIK TURBO	MONROE PRO 4 IK TURBO SHADOW	COLORADO 3 I TURBO	COLORADO 4 I TURBO	COLORADO 6 IK TURBO II	BOSTON BLACK 3 K TURBO	BOSTON BLACK 4 IK TURBO	BOSTON BLACK 6 KR TURBO	CUBIQ® PRO 3 R TURBO	CUBIQ® PRO 3 KR TURBO	CHICAGO NEXT 3	CHICAGO NEXT 3 R TURBO	CHICAGO NEXT 4 R TURBO
837033	837833	838533	8520633	8521633	852333	8862633	8863633	886433	842333	842433	893933	893433	8936633
•	•	•	•	•	•	•	•	•	-	-	-	•	•
21.1	21.1	21.1	14.7	18.2	27.05	14.35	21.85	23.55	10.7	13.85	9.6	10.6	13
4	4	4	3	4	6	3	4	6	3	3	3	3	4
•	•	•	-	-	•	•	•	•	-	•	-	-	-
-	-	-	-	-	-	-	•	-	-	-	-	-	-
•	•	•	•	•	•	•	•	•	-	-	-	-	-
•	•	•	•	•	•	•	•	•	•	•	-	•	•
-	-	-	-	-	-	-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•	•	•	•	-	-	-
•	•	•	-	-	-	-	-	-	-	-	-	-	-
•	•	•	•	•	•	-	-	•	•	•	-	•	•
_	-	-	-	-	-	-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•	•	•	•	•	•	•
-	•	•	-	-	-	-	-	-	-	-	-	-	-
•	•	•	•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•	•	•	•
3,182	3,182	3,182	2,666	3,182	4,042	2,666	3,182	4,042	2,289	2,289	2,604	2,604	2,982
•	•	•	•	•	•	-	-	-	•	•	•	•	-
-	-	-	-	-	-	•	•	•	-	-	-	-	•
•	•	•	•	•	٠	•	•	٠	•	•	•	•	•
1	1	1	1	1	1	1	1	1	1	1	1	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	2	-	-	1	1	1	1	-	1	-	-	-
-	-	-	2	2	1	1	1	1	2	1	2	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	5 kg	5 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	•	•	-	-	-
•	•	•	•	•	•	•	•	•	-	-	-	-	-
-	-	-	-	-	-	2	2	-	-	-	-	-	-
4 / 4	4/4	4 / 4	4/4	4/4	4/4	2 /2	2/2	4 / 4	4/4	4 / 4	4/4	4 / 4	4/4
-	-	-	-	-	-	-	-	-	-	-	-	-	-
90	90	90	90	90	90	90	90	90	89	89	85	85	85
26	26	27	34	34	34	40	40	40	46	46	52	52	52



# **PRODUCT OVERVIEW**

GAS BARBECUES	BROOKLYN NEXT 2	BROOKLYN NEXT 3	SAN DIEGO 2	SAN DIEGO 3	SAN DIEGO 4	URBAN	URBAN PRO	URBAN TROLLEY	URBAN PRO TROLLEY	EXPLORER NEXT	EXPLORER NEXT PRO
Article number	8645630	8646630	8114633	8116633	8121630	209533	206033	208133	208033	210333	210233
Stock item	-	•	•	•	•	•	•	•	•	•	•
Total output kW	5,6	7,05	5.6	7.05	9	4.4	4.4	4.4	4.4	4.4	4.4
Stainless steel burners	2	3	2	3	4	2	2	2	2	2	2
Cooker	-	-	-	-	-	٠	•	•	•	•	•
Dual side cooker	-	-	-	-	-	-	-	-	-	-	-
Infrared back burner	-	-	-	-	-	-	-	-	-	-	-
800 °C TURBO ZONE™	-	-	-	-	-	-	-	-	-	-	-
CRUSTER <sup>®</sup>	-	-	-	-	-	-	-	-	-	-	-
HEAT RANGE™	-	-	-	-	-	-	-	-	-	-	-
SIMPLE CLEAN <sup>™</sup>	-	-	-	-	-	-	-	-	-	-	-
SWITCH GRID™	-	-	-	-	-	-	-	-	-	-	-
Delicater™ oven	-	-	-	-	-	-	-	-	-	-	-
Double-walled lid	-	-	-	-	-	-	-	-	-	-	-
Viewing window	-	-	-	-	-	-	-	-	-	-	-
Thermometer	•	•	•	•	•	•	•	•	•	•	•
Piezo ignition	•	•	•	•	•	•	•	•	•	•	•
Grill area cm²	1.237,5	1.666,5	1,237.5	1,666.5	2,029.5	1,536	1,536	1,536	1,536	1,536	1,536
Enamelled cast iron grate	-	-	-	-	-	•	•	•	•	-	-
Stainless steel grate	•	•	•	•	•	-	-	-	-	•	•
Warming grate	•	•	•	•	•	-	-	-	-	-	-
Removable fat collection drawers	1	1	1	1	1	2	2	2	2	2	2
Integrated bottle opener	-	-	-	-	-	-	-	-	-	-	-
Fixed side shelves	-	-	2	2	2	-	-	-	-	-	-
Folding side shelves	2	2	-	-	-	-	-	-	-	-	-
Removable side shelves	-	-	-	-	-	2	2	2	2	-	-
Storage plate	•	•	•	•	-	-	-	-	-	-	•
Sink	-	-	-	-	-	-	-	-	-	-	-
Storable gas bottle (max.)	5 kg	5 kg	-	-	5 kg	-	-	5 kg	5 kg	-	-
Optional cartridge operation	-	-	-	-	-	•	•	•	•	•	•
Tilting compartment	-	-	-	-	-	-	-	-	-	-	-
Double-walled doors	-	-	-	-	-	-	-	-	-	-	-
Outdoor wheels	2	2	2	2	2	-	-	2	2	-	-
Swivel castors / lockable	-	-	-	-	-	-	-	-	-	-	-
Hose & gas pressure regulator	-	-	-	-	-	-	-	-	-	-	-
Working height cm	81	81	82	82	82	23	23	86	86	23 / 66	23 / 66
Catalogue page	58	58	64	64	64	70	70	70	70	148	148

# **PRODUCT OVERVIEW**

ELECTRIC BARBECUES	eFLOW® PRO 2 TURBO	eFLOW® PRO 2 TURBO SHADOW	eFLAVOUR® 2 TURBO	eCRAVE® 2	
Article number	9710	9712	97156	97116	
Stock item	•	•	•	•	
Total output kW	3	3	3	2.6	
Heating elements x kW	3 x 1.5 kW (max. 2 usable simultaneously)	3 x 1.5 kW (max. 2 usable simultaneously)	3 x 1.5 kW (max. 2 usable simultaneously)	2 x 1.3	
TURBO ZONE™	•	•	•	-	
SIMPLE CLEAN <sup>™</sup>	•	•	•	•	
SWITCH GRID™	•	•	•	-	
Double-walled lid	•	•	•	-	
Cooking chamber	Stainless steel / cast aluminium	Enamelled steel / cast aluminium	Powder-coated steel	Powder-coated steel	
Thermometer	•	•	•	•	
Grill area cm <sup>2</sup>	1,950	1,950	1,950	1,709	
Grill grate	Cast iron grate / two-part	Cast iron grate / two-part	Cast iron grate / two-part	Cast iron grate / two-part	
Warming grate	•	•	•	•	
Removable fat collection drawers	•	•	•	•	
Folding side shelves	•	•	•	•	
Double-walled doors	•	•	-	-	
Swivel castors / lockable	•	•	•	•	
Working height cm	89	89	89.5	83	
Cable length	220	220	250	180	
Catalogue page	80	80	86	92	

CHARCOAL BARBECUES	AURORA® MINT	AURORA® TAUPE	AURORA® GREY	AURORA® MIRROR COPPER	AURORA® MIRROR MINT BLACK	AURORA® MIRROR MATT SILVER
Article number	1360	1363	1364	1368	1365	1380
Stock item	-	-	•	-	•	-
Grill area cm <sup>2</sup>	925	925	925	925	925	925
Enamelled grill grate	•	•	•	-	-	-
Enamelled cast iron grate	-	-	-	•	•	•
Mirrored surface	-	-	-	•	•	•
LED ambient light	-	-	-	•	•	•
Catalogue page	96	96	96	96	96	96

Enders

# **PRODUCT OVERVIEW**

# **PRODUCT OVERVIEW**

GAS PATIO FIRE	NOVA® LED M Black/silver	NOVA® LED L Black/silver	NOVA® LED M GREY/BLACK	NOVA® LED L GREY/BLACK	VULANO
Article number	560033	560133	560433	560533	5589
Stock item	•	•	•	•	•
Continuously adjustable power regulation kW	1 - 2.5	1 - 2.5	1 - 2.5	1 - 2.5	8.5 - 11
ECO burner	Stainless steel	Stainless steel	Stainless steel	Stainless steel	-
Burner	-	-	-	-	Ceramic
Spiral	-	-	-	-	Stainless steel
Burning time in hrs.	44 - 111 (8 kg gas bottle)	44 - 111 (8 kg gas bottle)	61 - 152 (11 kg gas bottle)	61 - 152 (11 kg gas bottle)	14 - 18 (11 kg gas bottle)
Ignition	Battery	Battery	Battery	Battery	Battery
Ignition failsafe	•	•	•	•	•
Anti-tilt device	•	•	•	•	•
Glass cylinder	Fireproof	Fireproof	Fireproof	Fireproof	Fireproof
Reflector	Mirror	Mirror	Mirror	Mirror	-
LED ambient light top	•	•	•	•	-
Housing	Powder-coated steel	Powder-coated steel	Powder-coated steel	Powder-coated steel	Stainless steel
Storable gas bottle (max.)	8 kg	8 kg	11 kg	11 kg	11 kg
Base	-	-	-	-	Powder-coated steel
Plastic feet	•	•	•	•	-
Mood lighting base	•	•	•	•	-
Transport rollers	-	-	-	-	•
Hose and gas pressure regulator	-	-	-	-	• (50 mbar)
Dimensions in cm	H 88, Ø 36	H 88, Ø 36	H 102, Ø 36	H 102, Ø 36	H 182, Ø 53
Catalogue page	120	120	120	120	124

GAS PATIO HEATERS	ELEGANCE	FANCY	ECOLINE PURE	POL0 <sup>®</sup> 2.0	POL0 <sup>®</sup> BLACK 2.0	Solid	COMMERCIAL
Article number	937622/ 937633	544123	5640	546033	546233	580023	5500623
Stock item	•	•	•	•	•	•	•
Continuously adjustable power regulation kW	3.5-8	3.5 - 8	2/4	3 - 6	3 - 6	4 - 14	4 - 14
ECO PLUS burner	Stainless steel	Stainless steel	-	-	-	-	-
ECO GREEN burner	-	-	-	-	-	-	-
2 ECO ULTRA burners	-	-	Stainless steel	-	-	-	-
Burner	-	-	-	Stainless steel	Stainless steel	Stainless steel	Stainless steel
ENDUR reflection system	-	-	-	•	•	-	-
Burning time in hrs. (11 kg gas bottle)	19 - 43	19 - 43	38 - 76	25 - 50	25 - 50	11 - 38	11 - 38
Ignition	Piezo	Piezo	Piezo	Piezo	Piezo	Battery	Battery
Ignition failsafe	•	•	•	•	•	•	•
Anti-tilt device	•	•	•	•	•	•	•
Reflector	FAL	FAL	Aluminium	Stainless steel	Stainless steel	FAL	FAL
Ø reflector cm	76	76	-	-	-	88	88
Column / retractable	Stainless steel / –	Stainless steel / •	-	-	-	Stainless steel /•	Stainless steel /•
Frame	-	-	Aluminium	-	-	-	-
Storage table	-	Plastic	-	-	-	Stainless steel	•
Housing	Stainless steel	Polyester	Powder- coated steel	Stainless steel	Powder- coated steel	Stainless steel	Stainless steel
Storable gas bottle (max.)	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg	11 kg
Pull-out gas bottle shelf	-	-	-	-	-	-	•
Lockable door	-	-	-	-	-	•	•
Round base	Powder- coated steel	Powder- coated steel	-	Powder- coated steel	Powder- coated cast aluminium	Powder- coated cast aluminium	Stainless steel
Transport rollers	•	•	•	•	•	•	•
Hose & gas pressure regulator	• / -	• / -	• (50 mbar)	-	-	• / -	• / -
Assembled dimensions cm	H 218, Ø 76	H 218, Ø 76	W 42 x D 45 x H 213 cm	H 115, Ø 42	H 115, Ø 42	H 223, Ø 88	H 223, Ø 88
Catalogue page	126	128	130	132	132	134	136

Enders

# **PRODUCT OVERVIEW ELECTRIC PATIO HEATERS & CAMPING STOVES**

ELECTRIC PATIO HEATERS	ORON	LOOM	OXEO BLACK / WHITE	MOOW	
Article number	49076	49266	49276 / 49286	4923	
Stock item	•	•	•	•	
Total output kW	2	2	2	0.9	
Heating element	Halogen	Halogen	Halogen	Carbon	
Material	Stainless steel, aluminium, plastic	Powder-coated steel, plastic	Powder-coated steel, plastic	Powder-coated steel, plastic	
Protection class	IP 44	IP 45	IP 55	IP 34	
Remote control	-	•	•	-	
Height-adjustable	•	•	-	-	
Oscillation	-	-	-	•	
Horizontal and vertical alignment	-	-	-	•	
Assembled dimensions cm	H 226, Ø 55	H 11.5, Ø 45.5	W 72.5 x D 20 x H 10.5	H 75, Ø 30	
Cable length m	1.3	1.9	1.5	1.55	
Catalogue page	144	143	145	143	

CAMPING STOVES	OLYMP	MAVERIQ®	CANBERRA	DALGETY BLACK 2	DALGETY BLACK 2 Z	DALGETY BLACK 3	BRISBANE 2 Z	BRISBANE 3 Z
Article number	6510	1886	179033	185533	185633	185733	186033	186133
Stock item	•	•	-	•	-	-	-	-
Burner capacity kW	1.4	2.2	2 x 2.3	2 x 2.3	2 x 2.3	3 x 2.3	2 x 2.3	3 x 2.3
Burner	Stainless steel	cast aluminium	Stainless steel					
Operation	Puncture cartridge	Valve cartridge	Gas bottle or threaded cartridge					
Burning time per car- tridge at full power	112 minutes	85 minutes	-	-	-	-	-	-
Ignition	Manual	Piezo	Manual	Manual	Manual	Manual	Manual	Manual
Ignition failsafe	-	-	-	-	٠	-	•	•
Overheating protection	-	•	-	-	-	-	-	-
Overpressure safety shut-off	-	•	-	-	-	-	-	-
Maximum Ø pan	17 cm	26 cm	20 cm	20 cm	20 cm	20 cm	20 cm	20 cm
Pan grate	Chrome-plated	Stainless steel	Chrome-plated	Chrome-plated	Chrome-plated	Chrome-plated	Chrome-plated	Chrome-plated
Cover	-	-	Powder-coated	Powder-coated	Powder-coated	Powder-coated	Stainless steel	Stainless steel
Housing	Plastic	Stainless steel	Powder-coated	Powder-coated	Powder-coated	Powder-coated	Stainless steel	Stainless steel
Carrying case	-	Plastic	-	-	-	-	-	-
Assembled dimensions cm	H 21.5, Ø 13.5	W 34 x D 28 x H 12	W 43 x D 26 x H 10	W 49 x D 32 x H 9	W 49 x D 32 x H 9	W 59 x D 32 x H 9	W 49 x D 32 x H 9	W 59 x D 32 x H 9
Catalogue page	158	154	155	156	156	156	157	157

# LEGEND

### ABBREVIATION EXPLANATION

I	with infrared back burner	S	with viewing window
IK	with infrared back burner and side cooker	SIK	with viewing window, infrared back burner and side cooker
К	with side cooker	0	with Delicater <sup>™</sup> oven
KR	with side cooker und SWITCH GRID™ grate	Z	with ignition safety device
R	with SWITCH GRID <sup>™</sup> grate		

CRUSTER	<b>CRUSTER®</b> From back burner to top heat: continuously adjustable in of 800 °C on the barbecue
TURBO	TURBO ZONE™ Your grilling zone for intense searing at maximum temp
HEAT RANGE	HEAT RANGE™ Precise grilling with temperature control fro
	SWITCH GRID <sup>TM</sup> With the clever grill grate system, you simply
	SIMPLE CLEAN™Simply remove the individual parts of the c conveniently put them in the dishwasher.
	<b>ECO ULTRA burner technology</b> 83% saving of CO <sub>2</sub> emissions a
	<b>ECO GREEN burner technology</b> 50% saving of CO <sub>2</sub> emissions a
PLUS BKW	<b>ECO PLUS burner technology</b> 30% saving of CO <sub>2</sub> emissions an
	ENDUR reflection system Heat is radiated across a large area and with maximum
	The German Association of the Gas and Water Industry (DVGW) is a internal market. The safety, hygiene and environmental based on the DVGW rules and regulations, on nationally certification programmes.
	<b>GS marking</b> The GS seal certifies that a ready-to-use product meets
<b>C</b> €	The <b>CE mark</b> confirms that the product to which it is affi

We reserve the right to make minor deviations from the text and illustrations in this catalogue for reasons of technical progress. The product weights listed here are approximate. On publication of this catalogue, all older catalogue versions become invalid.



in height and tilt, the ceramic burner delivers infrared heat

perature on gas and electric grills.

om 80 °C up to 400 °C.

ly switch to the right insert for each dish.

cooking chamber of your barbecue without tools and

and costs compared to a standard 12 kW burner.

and costs compared to a 12 kW standard burner.

nd costs compared to a 12 kW standard burner.

efficiency.

an independent and neutral industry certifier rooted in the European compatibility of a product is at the centre of every test. Tests are and internationally recognised guidelines, standards and

the requirements of the Product Safety Act (ProdSG).

fixed meets the requirements of all EC directives applicable to it.



Enders Colsman AG Brauck 1 58791 Werdohl info@enders-germany.com www.enders-germany.com

Order Processing/ Orders Tel.: + 492392 / 9782-31 Fax: + 492392 / 9782-70 export@enders-germany.com

> LE TRI FACILE

FOLLOW US HERE

📕 /endersgermany



O /endersgermany